

TONYA LIGHT LANDSCAPE LIGHTING



SHENZHEN TONYA LIGHTING TECHNOLOGY CO., LTD



Tel:+86-755-23154966 Fax: +86-755-23154866 Web:www.tyledlight.com Email:sales@tonyalight.com Add: B BLdg, Jinlaiwang Baihua Industrial Park, Guan Guang RD, Guangming New District, Shenzhen, P.R. China

ABOUT TONYA

Shenzhen Tonya Lighting Technology Co., Ltd. has been dedicated to being a professional manufacturer, designer and exporter of LEDs and LED related products in China since our establishment in 2007.

We are located in Bao'an, Shenzhen, which is the center of LEDs in China. Our company has more than 150 staff members and occupies more than 2500 square meters. With many years' experience in developing LED products, high quality and good after-sales services, we have won a high reputation and become one of the biggest manufacturers of LED products in China.

Innovation is the base of development; qualified service is the foundation of existence, Tonya Light keeps up with marketing trend based on customers' requirements, try to supply the best products with best price & quality and humanistic service.

All design and making by ourself. According to customers' requirement we can supply professional lighting solution not only design but also in production. Tonyalight operates strictly based on ISO 9001:2000, the quality management system from purchasing to designing to manufacturing.

Our products cover a wide range from Indoor to outdoor products, such as LED Flood Light, UFO LED high bay light, LED Tri-proof Light, LED Street Light, LED Stadium light, LED panel, Led Tube.

US Market: LED Shoe box light,LED Troffer Light,LED Wall pack light,LED linear High bay light etc.

Based on our strong R&D team, we are also able to meet customers' special demands. We have a strict Quality Inspection System to ensure product quality. The entire production process is strictly monitored and the "5-step QC testing" is our standard policy to supervise the quality. The advanced temperature testers, luminance testers and photoelectric instruments are adopted to conduct strict tests, such as voltage withstanding, shockproof and salt spray tests. All our operations are ISO9001:2000 certified. Our qualification rate is above 99.8%. All our products comply with CE and UL DLC standards and RoHS Directives.

We welcome every person with insight to cooperate with US.



LED FLOOD LIGHT SERIES





FL16 10W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;

With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.




Beam Angle






Product Number

Power	Product Number		Dimming	Input Voltage
10W	TY-FL16-10W	3000-6500K	0-10V/DALI	AC100-277V









FL16 20W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;

With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle



20pcs Philips SMD3030


Light effect : >130LM/W


ree

Meanwell PS Optional

Product Number

Power	Product Number	Color	Dimming	Input Voltage
20W	TY-FL16-20W	3000-6500K	0-10V/DALI	AC100-277V











FL16 30W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed service life;


Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;


With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle

	30pcs Philips SMD3030				
		Light effect : >130LM/W			
140degree		Meanwell PS Optional			
Product Number					
Power	Product Number	Color	Dimming	Input Voltage	
30W	TY-FL16-30W	3000-6500K	0-10V/DALI	AC100-277V	









FL16 50W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;

With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle



50pcs Philips SMD3030


Light effect : >130LM/W

140degree

Meanwell PS Optional

Product Number

Power	Product Number	Color	Dimming	Input Voltage
50W	TY-FL16-50W	3000-6500K	0-10V/DALI	AC100-277V







FL16 LED FLOOD LIGHT



FL16 80W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;

With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle



80pcs Philips SMD3030

Light effect : >130LM/W


140degree

Meanwell PS Optional

Product Number

Power	Product Number	Color	Dimming	Input Voltage
80W	TY-FL16-80W	3000-6500K	0-10V/DALI	AC100-277V

Dimension



49.5mm







FL16 100W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;

With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle



100pcs Philips SMD3030


140degree

Light effect : >130LM/W

Meanwell PS Optional

Product Number

Power Product Number Color Dimming Input Voltage 100W TY-FL16-100W 3000-6500K 0-10V/DALI AC100-277V					
100W TY-FL16-100W 3000-6500K 0-10V/DALI AC100-277V	Power	Product Number	Color	Dimming	Input Voltage
	100W	TY-FL16-100W	3000-6500K	0-10V/DALI	AC100-277V









FL16 150W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force; With Philips SMD3030 LED, High light effect, Long life, and the

light color is W/R/G/B/A.



Beam Angle



150pcs Philips SMD3030

Light effect : >130LM/W


140degree


Meanwell PS Optional

Product Number

Power	Product Number	Color	Dimming	Input Voltage
150W	TY-FL16-150W	3000-6500K	0-10V/DALI	AC100-277V

Dimension







TONYA LIGHT PROFESSIONAL LED SOLUTION PROVIDER Energy Saving and Environmental Portection



FL16 200W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;

With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle



240pcs Philips SMD3030

_

Light effect : >130LM/W


140degree

Meanwell PS Optional

Product Number

			-	
Power	Product Number		Dimming	Input Voltage
200W	TY-FL16-200W	3000-6500K	0-10V/DALI	AC100-277V

Dimension





TONYALIGHT PROFESSIONAL LED SOLUTION PROVIDER Energy Saving and Environmental Portection





FL16 300W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;

With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle



322pcs Philips SMD3030

Light effect : >130LM/W


140degree

Meanwell PS Optional

Product Number

Power	Product Number		Dimming	Input Voltage
300W	TY-FL16-300W	3000-6500K	0-10V/DALI	AC100-277V

Dimension





TONYALIGHT PROFESSIONAL LED SOLUTION PROVIDER Energy Saving and Environmental Portection



FL16 400W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;

With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle



420pcs Philips SMD3030

Light effect : >130LM/W


140degree

Meanwell PS Optional

Product Number


				the second se
Power	Product Number	Color	Dimming	Input Voltage
400W	TY-FL16-400W	3000-6500K	0-10V/DALI	AC100-277V

Dimension





TONYA LIGHT PROFESSIONAL LED SOLUTION PROVIDER Energy Saving and Environmental Portection





FL16 500W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;

With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle



532pcs Philips SMD3030


Light effect : >130LM/W

140degree

Meanwell PS Optional

Product Number

Power	Product Number		Dimming	Input Voltage
500W	TY-FL16-500W	3000-6500K	0-10V/DALI	AC100-277V







64pcs Philips SMD3030 Light effect : >130LM/W

Meanwell PS Optional



FL19 50W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed;

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;

Choice of 30/60/90/140*70/70*150/150*80/50*140/140*140 angle lenses to meet the needs of different places;

With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle




30/60/90/140*70/70*150/150*80/50*140/140*140 degree

Product Number

Power	Product Number	Color	Dimming	Input Voltage
50W	TY-FL19-50W	3000-6500K	0-10V/DALI	AC100-277V

Dimension







50mm

FL19 LED FLOOD LIGHT



FL19 80W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed;

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;

Choice of 30/60/90/140*70/70*150/150*80/50*140/140*140 angle lenses to meet the needs of different places;

With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle





30/60/90/140*70/70*150/150*80/50*140/140*140 degree

Product Number

Power	Product Number	Color	Dimming	Input Voltage
80W	TY-FL19-80W	3000-6500K	0-10V/DALI	AC100-277V

Dimension





96pcs Philips SMD3030

Light effect : >130LM/W

Meanwell PS Optional



128pcs Philips SMD3030

Light effect : >130LM/W

Meanwell PS Optional



FL19 100W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed;

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;

Choice of 30/60/90/140*70/70*150/150*80/50*140/140*140 angle lenses to meet the needs of different places;

With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.




Beam Angle



30/60/90/140*70/70*150/150*80/50*140/140*140 degree


Product Number

Power	Product Number	Color	Dimming	Input Voltage
100W	TY-FL19-0W	3000-6500K	0-10V/DALI	AC100-277V











FL19 150W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed;

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;

Choice of 30/60/90/140*70/70*150/150*80/50*140/140*140 angle lenses to meet the needs of different places;

With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle





30/60/90/140*70/70*150/150*80/50*140/140*140 degree

Product Number

Power	Product Number	Color	Dimming	Input Voltage
150W	TY-FL19-150W	3000-6500K	0-10V/DALI	AC100-277V

Dimension





192pcs Philips SMD3030

Light effect : >130LM/W

Meanwell PS Optional



240pcs Philips SMD3030

Light effect : >130LM/W

Meanwell PS Optional



FL19 200W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed;

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;

Choice of 30/60/90/140*70/70*150/150*80/50*140/140*140 angle lenses to meet the needs of different places;

With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle




30/60/90/140*70/70*150/150*80/50*140/140*140 degree

Product Number

Power	Product Number	Color	Dimming	Input Voltage
200W	TY-FL19-200W	3000-6500K	0-10V/DALI	AC100-277V

Dimension





PROFESSIONAL LED SOLUTION PROVIDER Energy Saving and Environmental Portection