



TONYA LIGHT
LANDSCAPE LIGHTING
2019

SHENZHEN TONYA LIGHTING TECHNOLOGY CO.,LTD



Tel:+86-755-23154966 Fax: +86-755-23154866 Web:www.tyledlight.com Email:sales@tonyalight.com

Add: B BLdg,Jinlaiwang Baihua Industrial Park,Guan Guang RD, Guangming New District,Shenzhen,P.R.China

ABOUT TONYA

Shenzhen Tonya Lighting Technology Co., Ltd. has been dedicated to being a professional manufacturer, designer and exporter of LEDs and LED related products in China since our establishment in 2007.

We are located in Bao'an, Shenzhen, which is the center of LEDs in China. Our company has more than 150 staff members and occupies more than 2500 square meters. With many years' experience in developing LED products, high quality and good after-sales services, we have won a high reputation and become one of the biggest manufacturers of LED products in China.

Innovation is the base of development; qualified service is the foundation of existence, Tonya Light keeps up with marketing trend based on customers' requirements, try to supply the best products with best price & quality and humanistic service.

All design and making by ourself. According to customers' requirement we can supply professional lighting solution not only design but also in production. Tonyalight operates strictly based on ISO 9001:2000, the quality management system from purchasing to designing to manufacturing.

Our products cover a wide range from Indoor to outdoor products, such as LED Flood Light,UFO LED high bay light,LED Tri-proof Light,LED Street Light,LED Stadium light,LED panel,Led Tube.

US Market: LED Shoe box light,LED Troffer Light,LED Wall pack light,LED linear High bay light etc.

Based on our strong R&D team, we are also able to meet customers' special demands. We have a strict Quality Inspection System to ensure product quality. The entire production process is strictly monitored and the "5-step QC testing" is our standard policy to supervise the quality. The advanced temperature testers, luminance testers and photoelectric instruments are adopted to conduct strict tests, such as voltage withstanding, shockproof and salt spray tests. All our operations are ISO9001:2000 certified. Our qualification rate is above 99.8%. All our products comply with CE and UL DLC standards and RoHS Directives.

We welcome every person with insight to cooperate with US.



LED FLOOD LIGHT SERIES





FL16 10W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force; With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle



140degree

10pcs Philips SMD3030



Light effect : >130LM/W

Meanwell PS Optional

Product Number

| Power | Product Number | Color | Dimming | Input Voltage |
|-------|----------------|------------|------------|---------------|
| 10W | TY-FL16-10W | 3000-6500K | 0-10V/DALI | AC100-277V |

Dimension





FL16 20W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment;
Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;
With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle



140degree

20pcs Philips SMD3030

Light effect : >130LM/W


Meanwell PS Optional



Product Number

| Power | Product Number | Color | Dimming | Input Voltage |
|-------|----------------|------------|------------|---------------|
| 20W | TY-FL16-20W | 3000-6500K | 0-10V/DALI | AC100-277V |

Dimension



FL16 LED FLOOD LIGHT

Shenzhen Tonya Lighting Technology Co., Ltd



Beam Angle



140degree

30pcs Philips SMD3030



Light effect : >130LM/W

Meanwell PS Optional

Product Number

| Power | Product Number | Color | Dimming | Input Voltage |
|-------|----------------|------------|------------|---------------|
| 30W | TY-FL16-30W | 3000-6500K | 0-10V/DALI | AC100-277V |

Dimension



FL16 30W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed service life;

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;

With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



www.tyledlight.com Email: sales@tonyalight.com



TONYA LIGHT

PROFESSIONAL LED SOLUTION PROVIDER
Energy Saving and Environmental Protection



FL16 50W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force; With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle



140degree

50pcs Philips SMD3030

Light effect : >130LM/W


Meanwell PS Optional



Product Number

| Power | Product Number | Color | Dimming | Input Voltage |
|-------|----------------|------------|------------|---------------|
| 50W | TY-FL16-50W | 3000-6500K | 0-10V/DALI | AC100-277V |

Dimension



FL16 LED FLOOD LIGHT

Shenzhen Tonya Lighting Technology Co., Ltd



FL16 80W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force; With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle



140degree

80pcs Philips SMD3030

Light effect : >130LM/W


Meanwell PS Optional



Product Number

| Power | Product Number | Color | Dimming | Input Voltage |
|-------|----------------|------------|------------|---------------|
| 80W | TY-FL16-80W | 3000-6500K | 0-10V/DALI | AC100-277V |

Dimension



TONYA LIGHT

PROFESSIONAL LED SOLUTION PROVIDER
Energy Saving and Environmental Protection

www.tyledlight.com Email: sales@tonyalight.com



FL16 100W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force; With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle



140degree

100pcs Philips SMD3030

Light effect : >130LM/W



Meanwell PS Optional



Product Number

| Power | Product Number | Color | Dimming | Input Voltage |
|-------|----------------|------------|------------|---------------|
| 100W | TY-FL16-100W | 3000-6500K | 0-10V/DALI | AC100-277V |

Dimension



TONYA LIGHT

PROFESSIONAL LED SOLUTION PROVIDER
Energy Saving and Environmental Protection

Beam Angle



140degree

150pcs Philips SMD3030

Light effect : >130LM/W

Meanwell PS Optional



Product Number

| Power | Product Number | Color | Dimming | Input Voltage |
|-------|----------------|------------|------------|---------------|
| 150W | TY-FL16-150W | 3000-6500K | 0-10V/DALI | AC100-277V |



Dimension



FL16 150W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment;
Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;
With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.





FL16 200W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force; With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle



140degree

240pcs Philips SMD3030

Light effect : >130LM/W


Meanwell PS Optional



Product Number

| Power | Product Number | Color | Dimming | Input Voltage |
|-------|----------------|------------|------------|---------------|
| 200W | TY-FL16-200W | 3000-6500K | 0-10V/DALI | AC100-277V |

Dimension





FL16 300W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force; With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle



140degree

322pcs Philips SMD3030

Light effect : >130LM/W



Meanwell PS Optional



Product Number

| Power | Product Number | Color | Dimming | Input Voltage |
|-------|----------------|------------|------------|---------------|
| 300W | TY-FL16-300W | 3000-6500K | 0-10V/DALI | AC100-277V |

Dimension





FL16 400W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force; With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



www.tyledlight.com Email: sales@tonyalight.com

Beam Angle



140degree

420pcs Philips SMD3030

Light effect : >130LM/W



Meanwell PS Optional




Product Number

| Power | Product Number | Color | Dimming | Input Voltage |
|-------|----------------|------------|------------|---------------|
| 400W | TY-FL16-400W | 3000-6500K | 0-10V/DALI | AC100-277V |

Dimension



TONYA LIGHT
PROFESSIONAL LED SOLUTION PROVIDER
Energy Saving and Environmental Protection



FL16 500W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed

Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force; With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle



140degree

532pcs Philips SMD3030

Light effect : >130LM/W



Meanwell PS Optional



Product Number

| Power | Product Number | Color | Dimming | Input Voltage |
|-------|----------------|------------|------------|---------------|
| 500W | TY-FL16-500W | 3000-6500K | 0-10V/DALI | AC100-277V |

Dimension





FL19 50W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed;
Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;
Choice of 30/60/90/140°70/70°150/150°80/50°140/140°140 degree lenses to meet the needs of different places;
With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle



30/60/90/140°70/70°150/150°80/50°140/140°140 degree

64pcs Philips SMD3030



Light effect : >130LM/W

Meanwell PS Optional

Product Number

| Power | Product Number | Color | Dimming | Input Voltage |
|-------|----------------|------------|------------|---------------|
| 50W | TY-FL19-50W | 3000-6500K | 0-10V/DALI | AC100-277V |

Dimension





FL19 80W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed;
Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;
Choice of 30/60/90/140°70°70°150°150°80°50°140°140°140 degree lenses to meet the needs of different places;
With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle



30/60/90/140°70°70°150°150°80°50°140°140°140 degree

96pcs Philips SMD3030


Light effect : >130LM/W


Meanwell PS Optional

Product Number

| Power | Product Number | Color | Dimming | Input Voltage |
|-------|----------------|------------|------------|---------------|
| 80W | TY-FL19-80W | 3000-6500K | 0-10V/DALI | AC100-277V |

Dimension





Beam Angle



30/60/90/140° 70° 70° 150° 150° 80° 50° 140° 140° 140 degree

128pcs Philips SMD3030

Light effect : >130LM/W


Meanwell PS Optional



Product Number

| Power | Product Number | Color | Dimming | Input Voltage |
|-------|----------------|------------|------------|---------------|
| 100W | TY-FL19-0W | 3000-6500K | 0-10V/DALI | AC100-277V |

Dimension



FL19 100W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed;
Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;
Choice of 30/60/90/140° 70° 70° 150° 150° 80° 50° 140° 140° 140 angle lenses to meet the needs of different places;
With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.





FL19 150W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed;
Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;
Choice of 30/60/90/140°70/70°150/150°80/50°140/140°140 degree lenses to meet the needs of different places;
With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle



30/60/90/140°70/70°150/150°80/50°140/140°140 degree

192pcs Philips SMD3030



Light effect : >130LM/W

Meanwell PS Optional

Product Number

| Power | Product Number | Color | Dimming | Input Voltage |
|-------|----------------|------------|------------|---------------|
| 150W | TY-FL19-150W | 3000-6500K | 0-10V/DALI | AC100-277V |

Dimension





FL19 200W LED FLOOD LIGHT

Die-cast aluminum alloy casing, streamlined design of ultra-thin lamp body, with good heat dissipation effect and guaranteed;
 Protection grade IP65, surface powder baking process, strong corrosion resistance, suitable for harsh outdoor environment; Ultra-white tempered glass panel, sturdy and durable, high light transmittance, strong driving force;
 Choice of 30/60/90/140°70/70°150/150°80/50°140/140°140 degree lenses to meet the needs of different places;
 With Philips SMD3030 LED, High light effect, Long life, and the light color is W/R/G/B/A.



Beam Angle



30/60/90/140°70/70°150/150°80/50°140/140°140 degree

240pcs Philips SMD3030

Light effect : >130LM/W

Meanwell PS Optional

Product Number

| Power | Product Number | Color | Dimming | Input Voltage |
|-------|----------------|------------|------------|---------------|
| 200W | TY-FL19-200W | 3000-6500K | 0-10V/DALI | AC100-277V |

Dimension

