

Test Report No.: T51710200120SN Date: MAR 24, 2017 Page 1 of 5

JIAN PLASTIC & METAL PRODUCTS LTD

NO.3-1, SOUTH GAOBU BLVD, GAOBU TOWN, DONGGUAN CITY, GUANGDONG PROVINCE, CHINA, ZIP CODE:523278

The following samples were submitted and identified by/on behalf of the client as:

YELLOW NECKERCHIEF

Buyer : WORLD WIDE

Manufacturer : CHINA Country of Origin : CHINA

Country of Destination : WORLD WIDE

Requested Age Grading : 3+

Sample Receiving Date : MAR 14, 2017

Testing Period : MAR 14, 2017 TO MAR 24, 2017





Test Report No.: T51710200120SN Date: MAR 24, 2017 Page 2 of 5

Test Requested		Conclusion
1.	Color Fastness To Perspiration (ISO 105-E04:2013)	SEE RESULT
2.	Color Fastness To Laundering (ISO 105-C06:2010)	SEE RESULT
3.	CPSIA section 101 - Total Lead content in the specified specimen(s) as listed	
	CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS
4.	US California Proposition 65 (County of Alameda Court Case No. RG-10-514803 [Consolidated with Case No. RG 10-545680 and RG 10-545687]) — Cadmium Content in the specified specimen(s) as listed	PASS
	Client's Requirement - Cadmium Content in the specified specimen(s) as listed	PASS

******* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Feng Shaohong, Jessica

Lab Manager





Test Report No.: T51710200120SN Date: MAR 24, 2017 Page 3 of 5

Results:

1. Color Fastness To Perspiration

(ISO 105-E04:2013)

	Yellow woven fabric
<u>Acidic</u>	·
Change in shade	4-5
Staining on multi-fiber stripe	
Acetate	4-5
Cotton	3-4
Nylon	3-4
Polyester	4-5
Acrylic	4-5
Wool	4-5
Alkaline	
Change in shade	4-5
Staining on multi-fiber stripe	. 0
Acetate	4-5
Cotton	3-4
Nylon	3-4
Polyester	4-5
Acrylic	4-5
Wool	4-5

Remark: 1. Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

2. The result is extracted from report No. T51710190107SN.

2. Color Fastness To Laundering

(ISO 105-C06:2010; Single test A2 with 4g/l 'ECE' detergent & 1g/l sodium perborate solution with 10 steel balls.)

	Yellow woven fabric
Change in shade	4-5
Staining on multi-fiber stripe	
Acetate	4-5
Cotton	3-4
Nylon	4-5
Polyester	4-5
Acrylic	4-5
Wool	4-5
Cross staining	/

Remark: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.zapx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-bocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:17.0 check the autheriticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307



Test Report No.: T51710200120SN Date: MAR 24, 2017 Page 4 of 5

3. CPSIA - Lead in Accessible Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Test Item(s)			Lead (Pb)
Permissible Limit **(ppm)		100	
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
Yellow fabric	1	1	ND

^{**} Permissible Limit applies to a children's product manufactured after 14 August 2011 (Public Law 110-314 (Consumer Product Safety Improvement Act of 2008) and its Amendments Public Law 112-28)

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- -1% = 10000 mg/kg = 10000 ppm
- Result(s) is(are) extracted from report No. T51710190107SN.

4. US California Proposition 65 - Cadmium Content

Method: Acid Digestion

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Test Item(s)	Cadmium (Cd)		
Specimen Description		Tracing No.	Result(s) (ppm)
Yellow fabric	2	1	ND

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)

MDL = Method Detection Limit = 5 ppm

- Result(s) is(are) extracted from report No. T51710190107SN.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spsx and, for electronic format documents subject to Terms and Conditions for Electronic Documents and http://www.sgs.com/en/Terms-and-Conditions/Ferms--Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced to the company of the compa

ScSBbb, No., Jargraon Industrial Park, No. 400, Jinua Post, Bratian, Longgang District, Shenchen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Test Report

No.: T51710200120SN


Date: MAR 24, 2017

Page 5 of 5

Summary of permissible limits of Cadmium requirement(s):

Requirement(s)	Permissible Limit of Cadmium (ppm)	Effective Date
California Proposition 65 (County of Alameda Court Case No. RG-10-514803 [Consolidated with Case No. RG 10-545680 and RG 10-545687])	300	Current
Client's Limit	75	Current

Sample Photo:



SGS authenticate the photo on original report only

*** End of Report ***

