

Test Report No.: T51910210044SN-01 Date: MAR 06, 2019 Page 1 of 6

JIAN PLASTIC & METAL PRODUCTS LTD

NO.3-1, SOUTH GAOBU BLVD, GAOBU TOWN, DONGGUAN CITY, GUANGDONG PROVINCE, CHINA, ZIP CODE:523278

This report supersedes all the previous documents bearing the test report number T51910210044SN

The following samples were submitted and identified by/on behalf of the client as:

YELLOW FELT

Buyer WORLD WIDE

Manufacturer **CHINA CHINA** Country of Origin

WORLD WIDE Country of Destination

Requested Age Grading

Sample Receiving Date FEB 22, 2019 Further Information Date MAR 06, 2019

Testing Period FEB 22, 2019 TO FEB 27, 2019



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-and-Con



Test Report No.: T51910210044SN-01 Date: MAR 06, 2019 Page 2 of 6

Test	Requested	Conclusion
1.	CPSIA section 101 - Total Lead content	
1.1	CPSIA section 101(f) (1) – Lead in paint/similar surface coating material	NOT APPLICABLE (SEE REMARK)
1.2	CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS
2.	US California Proposition 65 (County of Alameda Court Case No. RG-10-514803 [Consolidated with Case No. RG 10-545680 and RG 10-545687])— Cadmium Content	PASS
3.	Client's Requirement – Cadmium Content	PASS
4.	Color Fastness to Laundering (ISO 105-C06:2010)	PASS

Remark: There were no surface coating found in the said submitted sample.

******* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Chen Canjie, Anson Supervisor Qu Ping, Kiky Dept. Manager







Test Report No.: T51910210044SN-01 Date: MAR 06, 2019 Page 3 of 6

Results:

1.2 CPSIA - Lead in Accessible Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Test Item(s)			Lead (Pb)
Permissible Limit **(ppm)			100
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
Yellow fabric	1	1	ND

^{**} Permissible Limit applies to a children's product manufactured after 14 August 2011 (Public Law 110-314 (Consumer Product Safety Improvement Act of 2008) and its Amendments Public Law 112-28)

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit = 10 ppm

-1% = 10000 mg/kg = 10000 ppm





Test Report No.: T51910210044SN-01 Date: MAR 06, 2019 Page 4 of 6

2. US California Proposition 65 - Cadmium Content

Method: Acid Digestion

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Test Item(s)	Cadmium (Cd)		
Specimen Description		Tracing No.	Result(s) (ppm)
1. Yellow fabric	2	1	ND

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit = 5 ppm

Summary of permissible limits of Cadmium requirement(s):

Requirement(s)	Permissible Limit of Cadmium (ppm)	Effective Date
California Proposition 65 (County of Alameda Court Case No. RG-10-514803 [Consolidated with Case No. RG 10-545680 and RG 10-545687])	300	Current





Test Report No.: T51910210044SN-01 Date: MAR 06, 2019 Page 5 of 6

3. Cadmium Content

Method: With reference to EN 1122:2001 Method B / IEC62321-5:2013

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) / Atomic Absorption Spectrometer (AAS)

Test Item(s)	Unit	1	MDL	Client's Limit
Alias No.		3		
Tracing No.		1		
Cadmium (Cd)	mg/kg	ND	5	75

Specimen Description:

1. Yellow fabric

Note: - mg/kg = milligram per kilogram

- MDL = Method Detection Limit

- ND = Not Detected (lower than MDL)

4. Color Fastness to Laundering

(ISO 105-C06:2010;

Single test A2 machine wash at 40 °C with 4g/l 'ECE' detergent & 1g/l sodium perborate solution with 10 steel balls)

	Yellow felt	Client's Limit
Change in shade	4-5	Min.4
Staining on multi-fiber stripe		
Acetate	4-5	Min.4
Cotton	4-5	Min.4
Nylon	4-5	Min.4
Polyester	4-5	Min.4
Acrylic	4-5	Min.4
Wool	4-5	Min.4
Cross staining	/	Min.4

Remark: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company Any unauthorized alteration, forgery or falsification of the content or approval content or approval of the Company and the company

SSSBlbg, No. 4, Barghao Industrial Park, No. 430, Jihusa Roca, Bardian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国・深圳・龙岗区坂田吉华路430号江瀛工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Test Report No.: T51910210044SN-01 Date: MAR 06, 2019 Page 6 of 6

Sample Photo:



SGS authenticate the photo on original report only

*** End of Report ***

