

Test Report No.T51910210076JP Date: FEB 27, 2019 Page 1 of 8

JIAN PLASTIC & METAL PRODUCTS LTD NO.3-1, SOUTH GAOBU BLVD, GAOBU TOWN, DONGGUAN CITY, GUANGDONG PROVINCE, CHINA, ZIP CODE:523278

The following samples were submitted and identified by/on behalf of the client as:

MIXTURE SILICONE RAW MATERIAL

Buyer : WORLD WIDE

Manufacturer : CHINA Country of Origin : CHINA

Country of Destination : WORLD WIDE

Requested Age Grading : 3+

Sample Receiving Date : FEB 22, 2019

Testing Period : FEB 22, 2019 TO FEB 26, 2019

Test I	Conclusion	
1.	European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendment (EU) 2018/2005 – Phthalates content	PASS
2.	DBP, BBP, DEHP, DIBP, DHNUP, DIHP, DMEP, 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear, nPIPP, DIPP, DPP, DnHP and 1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear, 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate, DCHP in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) regarding Regulation (EC) No 1907/2006 concerning the REACH	PASS
3.	CPSIA section 101 - Total Lead content	
3.1	CPSIA section 101(f) (1) – Lead in paint/similar surface coating material	NOT APPLICABLE (SEE REMARK)
3.2	CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agxy and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.ags.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Con



Test Report No. T51910210076JP Date: FEB 27, 2019 Page 2 of 8

Test I	Conclusion	
4.	US 16 CFR Part 1307 – Phthalates	PASS
5.	US California Proposition 65 (County of Alameda Court Case No. RG-10-514803 [Consolidated with Case No. RG 10-545680 and RG 10-545687]) – Cadmium Content	PASS
6.	Japan Toy Safety Standard: Part 3: 2016 Second edition (Selected test items as specified by the applicant, please refer to test result page(s) for details)	
	Clause 1.9 Phthalates content	PASS
7.	Client's Requirement – Cadmium Content	PASS

Remark: There were no surface coating found in the said submitted sample.

******* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *******

Signed for and on behalf of SGS-CSTC Standards Technical

Services Co., Ltd. Shenzhen Branch Testing Center

Qu Ping, Kiky

Qu Ping, Kiky Dept. Manager





Test Report

No. T51910210076JP

Date: FEB 27, 2019

Page 3 of 8

Results:

1. European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendment (EU) 2018/2005 – Phthalate content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Materials can be placed in the mouth for toys & childcare articles

Test Item(s)	CAS No.	Result (s) (%)	MDL	Permissible
Specimen No.		1	(%)	Limit (%)
Dibutyl Phthalate (DBP)	84-74-2	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	0.010	
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	0.003	
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	0.010	
Total (DBP+BBP+DEHP+DIBP)		ND	-	0.1
Total (DINP+DNOP+DIDP)		ND		0.1

Specimen Description:

1. White silicone rubber

Note: - ND = Not Detected (lower than MDL)

MDL = Method Detection Limit

- % = percentage by weight

- Results shown as ND are ignored in the sum calculation



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Cond

1443, or email: CN.Doccheck@sgs.com \$SBibly, Nb. (4pp)andshattle Pkk, No.43, llna Pkolis Barlian Linggarg District, Sheruber, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Test Report

No. T51910210076JP

Date: FEB 27, 2019

Page 4 of 8

2. Phthalates in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) regarding Regulation (EC) No 1907/2006 concerning the REACH

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Test Item(s)	CAS No.	Result(s) (%)		
Specimen No.		1	MDL	Permissible
Alias No.		2	(%)	Limit# (%)
Tracing No.		1		
Dibutyl Phthalate (DBP)	84-74-2	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.003	0.1
Benzenedicarboxylic acid,di-(C7-11)- branched and linear alkyl esters (DHNUP)	68515-42-4	ND	0.01	0.1
1,2-benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	ND	0.01	0.1
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	ND	0.003	0.1
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear^	84777-06-0	ND	0.003	0.1
N-pentyl-isopentylphtalate (nPiPP)	776297-69- 9	ND	0.003	0.1
Diisopentyl phthalate (DiPP)	605-50-5	ND	0.003	0.1
Di-n-pentyl phthalate (DPP/DPenP)	131-18-0	ND	0.003	0.1
Di-n-Hexyl phthalate (DHP/DnHP)	84-75-3	ND	0.003	0.1
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	ND	0.003	0.1
1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate	68515-51-5 68648-93-1	ND	0.030	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	0.003	0.1

Specimen Description:

1. White silicone rubber



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307



Test Report No. T51910210076JP Date: FEB 27, 2019 Page 5 of 8

Note: - ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit
- % = percentage by weight
- # = According to Article 33 of REACH Regulation (EC) No. 1907/2006, fulfilling the requirement of communication in the supply chain is required when the SVHC on the candidate list is / are found to be > 0.1%.
- ^ = a mixture of i) Di-n-pentyl phthalate (DPP); ii) N-pentyl-isopentylphtalate (nPiPP) and iii) Diisopentyl phthalate (DiPP)

3.2 CPSIA - Lead in Accessible Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Test Item(s)	Lead (Pb)		
Permissible Limit **(ppm)			100
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
White silicone rubber	3	1	ND

^{**} Permissible Limit applies to a children's product manufactured after 14 August 2011 (Public Law 110-314 (Consumer Product Safety Improvement Act of 2008) and its Amendments Public Law 112-28)

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- -1% = 10000 mg/kg = 10000 ppm



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.ags.com/en/ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/ferms-and-Conditions/ferms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits o Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content o appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Bidg, No. 4, Jerghao Industrial Park, No. 430, Jihua Ricad, Barritan, Longgang District, Sherucher, Chine 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国・深圳・龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Test Report No. T51910210076JP Date: FEB 27, 2019 Page 6 of 8

4. US 16 CFR Part 1307 - Phthalates Content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Test Item(s)	CAS No.	Result (s) (%)			
Alias No.		4	MDL (0/)	Permissible	
Tracing No.		1	MDL (%)	Limit (%)	
Specimen No.		1		l	
Dibutyl Phthalate (DBP)	84-74-2	ND	0.003	0.1	
Benzylbutyl Phthalate (BBP)	85-68-7	ND	0.003	0.1	
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	0.003	0.1	
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	0.010	0.1	
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	0.003	0.1	
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.003	0.1	
Di-n-pentlyl phthalate(DPP/DPEP/DPENP)	131-18-0	ND	0.003	0.1	
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	0.003	0.1	

Specimen Description:

1. White silicone rubber

Note: - % = percentage by weight

ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit

-1% = 10000 mg/kg = 10000 ppm



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.gapx and, for electronic format documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to ransaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report No. T51910210076JP Date: FEB 27, 2019 Page 7 of 8

5. US California Proposition 65 - Cadmium Content

Method: Acid Digestion

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Test Item(s)	Cadmium (Cd)		
Specimen Description		Tracing No.	Result(s) (ppm)
White silicone rubber	5	1	ND

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit = 5 ppm

Summary of permissible limits of Cadmium requirement(s):

Requirement(s)	Permissible Limit of Cadmium (ppm)	Effective Date
California Proposition 65 (County of Alameda Court Case No. RG-10-514803 [Consolidated with Case No. RG 10-545680 and RG 10-545687])	300	Current

6. Japan Toy Safety Standard: Part 3: 2016 Second edition

Method: As specified in Japan Toy Safety Standard: Part 3: 2016 Second edition

Clause 1.9 Phthalates content

Test Item	Result (%)	MDL (%)	Limit (%)	
rest item	1	WIDL (76)		
Dibutyl Phthalate (DBP)	ND	0.01	0.1	
Benzylbutyl Phthalate (BBP)	ND	0.01	0.1	
Bis-(2-ethylhexyl) Phthalate (DEHP)	ND	0.01	0.1	
Diisononyl Phthalate (DINP)	ND	0.05	0.1	
Di-n-octyl Phthalate (DNOP)	ND	0.01	0.1	
Diisodecyl Phthalate (DIDP)	ND	0.05	0.1	

Specimen Description:

1. White silicone rubber

Note: - % = percentage by weight

MDL = Method Detection Limit

ND = Not Detected (lower than MDL)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content o appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

| SSSBdg, No. 4, Alarghao Industrial Park, No. 430, Jihua Read, Bartlain, Longsang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国 - 深圳 - 龙岗区坂田吉华路430号江瀬工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Test Report No. T51910210076JP Date: FEB 27, 2019 Page 8 of 8

7. Cadmium Content

Method: With reference to EN 1122:2001 Method B / IEC62321-5:2013 Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) / Atomic Absorption Spectrometer (AAS)

Test Item(s)	Unit	1	MDL	Client's Limit
Alias No.		7		
Tracing No.		1		
Cadmium (Cd)	mg/kg	ND	5	75

Specimen Description:

1. White silicone rubber

Note: - mg/kg = milligram per kilogram

- MDL = Method Detection Limit

ND = Not Detected (lower than MDL)

Sample Photo:



SGS authenticate the photo on original report only

*** End of Report ***



SGS Bldg, No. , Jampian Industrial Park, No. 430, Jhua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 中国 • 深圳 • 龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888

Member of the SGS Group (SGS SA)