DER building

Supply Chain Solutions

门窗/幕墙/阳光房产品

Windows And Doors / Curtain Wall / Sunroom Manufacturer

生 产 商

明表的匠心，永恒的赤心，
不变的初心，
一家始终“用心”的企业。

Shanghai DER Building Material Co., Ltd

Room 414, Building A, No. 1500 Longwu Rd, Xuhui District, Shanghai, 200231, China
Tel: +86 21 54361792
Fax: +86 21 54361798
Email info@der-building.com

公司简介
Company Introduction

上海　　装饰有限公司专业致力于门窗、幕墙、阳光房的生产，迄今为止，已有十多年的生产加工经验。经过我司多年的努力，已成为国内品牌，连续多年销量稳居行业前列。客户遍及澳大利亚、美国、加拿大、俄罗斯、印度等世界各地。

公司采用优质的型材、配件、玻璃，严格把关生产环节，所生产的门窗、幕墙产品已达到行业标准。公司拥有一批卓越的研发团队、管理团队，致力于开发、设计各种新型门窗、幕墙，努力成为行业的模板。

公司占地面积1100平方米，拥有先进的生产设备和精湛的加工工艺，多条门窗、幕墙生产线。为确保产品质量，提升客户对产品的满意度，我们还成立了符合行业标准的专业的质检部门检验成品。

我们将以最真诚的服务，期待每一位客户前来工厂参观、洽谈。

has been dealing with windows and doors, curtain wall and sunroom for over ten years. Due to the development in these years, has became a well-known brand in domestic market and our annual sale has held the top rank in this line for many times. Our customers come from all over the world like Australia, America, Canada, Russia, India and so on.

's products have reached the professional standards by using superior profile, hardware, glass and a strict inspection in manufacturing. We own an outstanding and organized group that are dedicated in developing and designing new kinds of windows, doors and curtain walls, which help us to establish a model in decorating industry.

covers an area of more than 1100 square meters, which own advanced facilities and produce lines and the skilled producing technologies in manufacturing windows,doors and curtain wall. To guarantee the quality and satisfy the demands of customers to products, we have developed our own windows and doors inspecting center which had reached the standards.

We are looking forward to every customer' s visit in our factory and negotiating the business based on our most sincere services.

目 录/Catalog

铝合金门窗系列 Aluminum Windows And Doors Series	**P04**
MY-铝合金地弹门 Aluminum Floor Spring Door	P04
MY-铝合金推拉门 Aluminum Sliding Door	P05
MY-铝合金平开门 Aluminum Casement Door	P07
MY-铝合金折叠门 Aluminum Folding Door	P09
MY-铝合金窗纱一体门 Aluminum Window Screen Integrated Door	P11
MY-铝合金百叶（固定/手摇） Aluminum Shutter(Fixed/Manual)	P12
MY-铝合金手动玻璃百叶窗 Aluminum Manual Glass Shutter	P13
MY-铝合金内开内倒窗 Aluminum Tilt And Turn Window	P14
MY-铝合金平开窗 Aluminum Casement Window	P15
MY-铝合金推拉窗 Aluminum Sliding Window	P16
MY-铝合金悬窗 Aluminum Awning Window	P17
MY-铝合金美式提拉窗 Aluminum American Double Hung Window	P18
塑钢门窗系列 PVC Windows And Doors Series	**P19**
MY-PVC推拉门 PVC Sliding Door	P19
MY-PVC平开门 PVC Casement Door	P20
MY-PVC提拉窗 PVC Double Hung Window	P21
MY-PVC推拉窗 PVC Sliding Window	P22
MY-PVC平开窗 PVC Casement Window	P23
阳光房篇 Sunroom	**P24**
玻璃选择 Glass Selection	**P27**
型材专用色卡篇 Profile-Specific Color Card	**P28**
国内外的重大项目篇 Major Projects At Home And Abroad	**P29**

铝合金地弹门
Alumimum Floor Spring Door

配 件 Hardware

产品介绍/Product Introduce

材料厚度 Material Thickness	型材壁厚2.0mm Profile Thickness 2.0 mm
型材颜色 Profile Color	白色/灰色/黑色/咖啡色/定制颜色 White / Gray / Black / Brown / Customized Color
开启方式 Open Style	平开 Casement
玻璃厚度 Glass Thickness	中空/夹胶 Double Glass/ Laminated Glass
匹配纱窗 Matching Screen	隐形纱窗 Rolling Fly Screens
配件选择 Hardware Selection	国产/进口 Chinese Top Brand / German Brand

产品特点/Product Characteristics

- 可塑性强、密封性好，使用寿命长，装饰效果优雅
  Good flexibility and great sealing performance, durable and nice decorative
- 具有隔音、隔热功能，耐腐蚀性强
  With the function of sound and heat insulation, strong corrosion resistance
- 外观美丽、价格经济、通风性良好
  Beautiful appearance, reasonable price and good ventilation
- 防盗、防水、防锈性高
  Anti-theft, waterproof and rust protection

铝合金推拉门
Aluminum Sliding Door



配　件
Hardware

产品介绍/Product Introduce

材料厚度 Material Thickness	型材壁厚2.0mm Profile Thickness 2.0mm
型材颜色 Profile Color	白色/灰色/黑色/咖啡色/定制颜色 White / Gray / Black / Brown / Customized Color
开启方式 Open Style	左右推拉 Sliding Horizontally
玻璃厚度 Glass Thickness	中空/夹胶 Double Glass / Laminated Glass
匹配纱窗 Matching Screen	推拉纱窗 Sliding Fly Screens
配件选择 Hardware Selection	国产/进口 Chinese Top Brand / German Brand

产品特点/Product Characteristics

- 开启方便、节省空间，推拉轻巧、灵活
  Easy to open, save space, sliding flexibly
- 中空玻璃配置，密封性、隔音性、隔热性能极佳
  Double glass configuration, sealing, sound insulation, good insulation performance
- 铝合金型材强度高、坚固耐用、不锈蚀，性能稳定
  Aluminum alloy profiles are high strength, durable, non-corrosive and stable
- 可选配纤维纱窗/金刚网纱窗，有效防止蚊虫进入
  Optional fiber screen / stainless steel screen to prevent mosquitoes from entering
- 视野广阔，尽情享受阳光和风景
  Enjoy the sun and the scenery with a wide view

铝合金平开门
Aluminum Casement Window

配　件
Hardware

产品介绍/Product Introduce

材料厚度 Material Thickness	型材壁厚2.0mm Profile thickness 2.0mm
型材颜色 Profile Color	白色/灰色/黑色/咖啡色/定制颜色 White / Gray / Black / Brown / Customized Color
开启方式 Open Style	平开 Casement
玻璃厚度 Glass Thickness	单玻/中空/夹胶 Single / Double Glass / Laminated Glass
匹配纱窗 Matching Screen	隐形纱窗 Rolling Fly Screens
配件选择 Hardware Selection	国产/进口 Chinese Top Brand / German Brand

产品特点/Product Characteristics

- 可塑性强、密封性好，使用寿命长，装饰效果优雅
  Strong strength, good sealing, durable and elegant decorative effect
- 具有隔音、隔热功能，耐腐蚀性强
  Soundproofing, heat insulating and strong corrosion resistance
- 外观美丽、价格经济、通风性良好
  Beautiful appearance, reasonable price and good ventilation
- 防盗、防水、防锈性高
  Anti-thefting, waterproof and good rust resistance

铝合金折叠门
Aluminum Folding Door

配 件
Hardware



产品介绍/Product Introduce

材料厚度 Material Thickness	型材壁厚2.0mm Profile Thickness 2.0mm
型材颜色 Profile Color	白色/灰色/黑色/咖啡色/定制颜色 White / Gray / Black / Brown / Customized Color
开启方式 Open Style	平开、折叠 Casement 、Folding
玻璃厚度 Glass Thickness	单玻/中空/夹胶 Single / Double Glass / Laminated Glass
匹配纱窗 Matching Screen	折叠纱门 Folding Screens Door
配件选择 Hardware Selection	国产/进口 Chinese Top Brand / German Brand

产品特点/Product Characteristics

- 欧洲标准槽口，密封性强，坚固耐用
  European standard notch，strong sealing，strong and durable
- 折叠式设计，令开启空间达到最大限度，可以充分看到室外景观
  Folding design，make the maximum opening space，see the outside view totally
- 选用隔热断桥铝型材，节能效果良好
  Using thermal break aluminium profile，good energy saving effect
- 占地空间较少，美观、大方；推拉轻盈，开启方便
  Less space，beautiful、generous；easy to open and slide

铝合金窗纱一体门
Aluminum Door With Mosquito Screen

配 件 Hardware

产品介绍/Product Introduce

材料厚度 Material Thickness	型材壁厚2.0mm Profile Thickness 2.0mm
型材颜色 Profile Color	白色/灰色/黑色/咖啡色/定制颜色 White / Gray / Black / Brown / Customized Color
开启方式 Open Style	平开 Casement
玻璃类型 Glass Type	中空/夹胶 Double Glass / Laminated Glass
匹配纱窗 Matching Screen	金刚纱网 Stainless Steel Screens
配件选择 Hardware Selection	国产/进口 Chinese Top Brand / German Brand

产品特点/Product Characteristics

- 欧洲标准槽口，密封性强，坚固耐用
  European standard notch with good sealing and durability
- 采用金刚纱网，通风效果极佳，具备优质的防盗性能
  Stainless steel mesh, excellent ventilation effect, with high quality anti - theft performance
- 铝合金型材强度高、坚固耐用、不锈蚀，性能稳定
  Aluminum profiles have high intensity, durable, rustproof and stable performance
- 中空玻璃配置，密封性、隔音性、隔热性能极佳
  Insulating glass configuration with excellent sealing, sound insulation, heat insulation performance
- 占地空间较少，美观、大方
  Small floor space , beautiful, luxury

铝合金百叶(固定/手摇)
Aluminum Shutter(Fixed Shutter/Roller Shutter)

配 件 Hardware



产品介绍/Product Introduce

材料厚度 Material Thickness	型材壁厚1.4mm Profile Thickness 1.4mm
型材颜色 Profile Color	白色/灰色/黑色/咖啡色/定制颜色 White / Gray / Black / Brown / Customized Color
开启方式 Open Style	平开/手摇 Casement / Manual
匹配纱窗 Matching Screen	隐形纱窗/固定纱窗 Rolling Fly Screens / Fixed Fly Screens
配件选择 Hardware Selection	国产 Chinese Top Brand

铝合金固定百叶

铝合金手摇百叶

产品特点/Product Characteristics

- 隔绝室外高温，隔音效果好；
  Insulated from outdoor high temperature, with good sound insulation effect
- 视野宽阔、通风隐私、遮雨防尘；
  Wide vision, ventilation and privacy, protection it from rain and dust
- 防盗耐用，隔音隔热效果好，安全性能高、适用于高层建筑。
  Good durable, sound insulation and heat insulation effect, high safety performance, suitable for high-rise buildings

铝合金手动玻璃百叶窗
Aluminum Manual Glass Shutter Window

配 件 Hardware



产品介绍/Product Introduce

材料厚度 Material Thickness	型材壁厚1.4mm Profile Thickness 1.4mm
型材颜色 Profile Color	白色/灰色/黑色/咖啡色/定制颜色 White / Gray / Black / Brown / Customized Color
开启方式 Open Style	玻璃上悬 Glass Swing
玻璃厚度 Glass Thickness	6mm单层钢化玻璃 6mm Single Tempered Glass
匹配纱窗 Matching Screen	可拆卸纱窗 Removable Mosquito Screens
配件选择 Hardware Selection	国产/进口 Chinese Top Brand / German Brand

产品特点/Product Characteristics

- 开启方便、轻巧、灵活，节省空间
  Easy to open, light and flexible, saving space
- 防盗性能极佳
  Excellent anti-theft performance
- 可选纤维纱窗，有效防止蚊虫进入
  Removable window screen can effectively prevent mosquitoes from entering
- 外观大气，开启时具有极佳的防盗性能
  Luxury appearance, with excellent anti-theft performance when opened

铝合金内开内倒窗
Aluminum Tilt & Turn Window

配 件 Hardware

产品介绍/Product Introduce

材料厚度 Material Thickness	型材壁厚1.4mm Profile Thickness 1.4mm
型材颜色 Profile Color	白色/灰色/黑色/咖啡色/定制颜色 White / Gray / Black / Brown / Customized Color
开启方式 Open Style	内平开、内倒 Casement 、Inside And Tilt & Turn
玻璃类型 Glass type	单玻/中空 Single / Double Glass
匹配纱窗 Matching Screen	隐形纱窗 Rolling Fly Screens
配件选择 Hardware Selection	国产/进口 Chinese Top Brand / German Brand

产品特点/Product Characteristics

- 欧洲标准槽口，密封性强，坚固耐用
  European standard notch with good sealing and durability
- 多锁点锁闭，提升了门窗的密封性、保温性、隔音性
  Multi-lock can improve the sealing, heat preservation and sound insulation of doors and windows
- 多锁点配合蘑菇锁头设计，提升了窗户的防盗性能
  Multiple lock with mushroom head lock design can improve the anti-theft performance of windows
- 窗户内倒状态时，可以避免雨天忘记关窗时雨水淋进来的问题
  When the window is inverted, it can avoid rain water entering the room when you forget to close the window in rainy days
- 可以匹配隐形纱窗，防止蚊虫进入室内
  Invisible screen window can prevent mosquitoes from entering the room

铝合金平开窗
Aluminium Casement Window

配 件 Hardware

产品介绍/Product Introduce

材料厚度 Material Thickness	型材壁厚1.4mm Profile Thickness 1.4mm
型材颜色 Profile Color	白色/灰色/黑色/咖啡色/定制颜色 White / Gray / Black / Brown / Customized Color
开启方式 Open Style	内平开 Swing Inside
玻璃厚度 Glass Thickness	单玻/中空 Single Glass / Double Glass
匹配纱窗 Matching Screen	隐形纱窗 Rolling Fly Screens
配件选择 Hardware Selection	国产/进口 Chinese Top Brand / German Brand

产品特点/Product Characteristics

- 欧洲标准槽口，密封性强，坚固耐用
  European standard notch, strong sealing, durable
- 通风性，密封性好，隔音、保温、抗渗性能优良
  Good ventilation, good sealing, sound insulation, heat preservation and impermeability
- 窗户内开时，清理卫生方便
  When the windows are opened, it is convenient to clean
- 可选配隐形纱窗，有效防止蚊虫进入
  Optional invisible screen window, effectively prevent mosquitoes from entering
- 铝合金型材强度高、坚固耐用、不锈蚀，性能稳定
  Aluminum alloy profile has high strength, strong durability, no corrosion and stable performance

铝合金推拉窗
Aluminium Sliding Window

配 件 Hardware

产品介绍/Product Introduce

材料厚度 Material Thickness	型材壁厚1.4mm Profile Thickness 1.4m
型材颜色 Profile Color	白色/灰色/黑色/咖啡色/定制颜色 White / Gray / Black / Brown / Customized Color
开启方式 Open Style	左右推拉 Sliding Horizontally
玻璃厚度 Glass Thickness	单玻/中空 Single Glass / Double Glass
匹配纱窗 Matching Screen	隐形纱窗 Rolling Fly Screens
配件选择 Hardware Selection	国产/进口 Chinese Top Brand / German Brand

产品特点/Product Characteristics

- 欧洲标准槽口，密封性强，坚固耐用
  European standard notch, strong sealing, durable
- 可匹配多种配件（月牙锁、钩锁、执手锁）
  Can match a variety of accessories (crescent lock, hook lock, handle lock)
- 推拉方便，轻松自如
  Push and pull convenient, easy and comfortable
- 型材三轨设计，可装配纱网，防蚊虫效果极佳
  Profile three-rail design, can be assembled gauze, mosquito proof effect is excellent
- 可配置5+12A+5中空玻璃， 隔音、隔热、节能效果俱佳
  Can be configured with 5+12A+5 insulating glass, sound insulation, heat insulation, energy saving effect

铝合金悬窗
Aluminium Awning Window

配　件 Hardware

产品介绍/Product Introduce

材料厚度 Material Thickness	型材壁厚1.4mm Profile Thickness 1.4m
型材颜色 Profile Color	白色/灰色/黑色/咖啡色/定制颜色 White / Gray / Black / Brown / Customized Color
开启方式 Open Style	外悬 Awning Outside
玻璃厚度 Glass Thickness	单玻/中空 Single Glass / Double Glass
匹配纱窗 Matching Screen	隐形纱窗 Rolling Fly Screens
配件选择 Hardware Selection	国产/进口 Chinese Top Brand / German Brand



产品特点/Product Characteristics

- 欧洲标准槽口，密封性强，坚固耐用
  European standard notch, strong sealing, durable
- 多锁点锁闭，提升了门窗的密封性、保温性、隔音性
  Multi-lock point lock, improve the sealing, heat preservation and sound insulation of doors and windows.
- 可以匹配隐形纱窗，防止蚊虫进入室内
  Can match invisible screen window, prevent mosquito to enter indoor
- 窗户开启时，也可以防止雨水进入室内
  When the windows are open, they can also prevent rainwater from entering the room
- 即可通风，又可以保证安全，因为有铰链，窗户只能打开十厘米的缝，从外面手伸不进来，特别适合家中无人时使用。
  Can be ventilated, and can ensure safety, because there are hinges, the window can only open the seam of 10 cm, from the outside of the hand stretch not to come in, especially suitable for no one at home to use

铝合金美式提拉窗
Aluminium Vertical Sliding Window

配　件 Hardware



产品介绍/Product Introduce

材料厚度 Material Thickness	型材壁厚1.4mm Profile Thickness 1.4m
型材颜色 Profile Color	白色/灰色/黑色/咖啡色/定制颜色 White / Gray / Black / Brown / Customized Color
开启方式 Open Style	上下提拉、翻转 Sliding Vertically And Turnover
玻璃厚度 Glass Thickness	单玻/中空 Single Glass / Double Glass
匹配纱窗 Matching Screen	隐形纱窗 Rolling Fly Screens
配件选择 Hardware Selection	国产/进口 Chinese Top Brand / German Brand

产品特点/Product Characteristics

- 采用上下提拉式开启，节省空间
  Use up and down pull type open, save space
- 可以向室内翻转，便于窗户的卫生清洁
  Can be turned inside, easy to clean the windows
- 密封性、保温性、安全性能俱佳
  Excellent sealing, insulation and safety performance
- 便于安装在尺寸较小的洞口
  Easy to install in the small size of the hole

PVC推拉门
PVC Sliding Door

配 件
Hardware

产品介绍/Product Introduce

材料厚度 Material Thickness	型材壁厚2.5mm、钢衬壁厚1.5mm Profile Thickness 2.5mm 、Reinforcement Steel Thickness 1.5mm
型材颜色 Profile Color	白色/定制颜色 White / Customized Color
开启方式 Open Style	左右推拉 Sliding Horizontally
玻璃厚度 Glass Thickness	单玻/中空 Single Glass / Double Glass
匹配纱窗 Matching Screen	推拉纱窗/隐形纱窗 Sliding Fly Screens / Rolling Fly Screens
配件选择 Hardware Selection	国产/进口 Chinese Top Brand / German Brand

产品特点/Product Characteristics

- 塑钢型材不易燃、不助燃、能自熄，安全可靠
  PVC profile is hard to be uninflammable and very safe for us.
- 塑钢型材多腔式结构，具有良好的隔热性能
  PVC profile is with multi-cavity structure, which can be effective in heat insulation.
- 隔音性能高，具有很好的气密性和隔音性，能保证给您一个舒适、宁静的环境
  Good soundproof and impermeability will bring you a comfortable and quiet environment.
- 塑钢门窗在安装时所有缝隙处均装有橡塑密封条和毛条，所以其气密性远远高于铝合金门窗
  The impermeability of PVC windows and doors is much better than aluminum windows and doors due to the rubber strip and wool strip in the gap when installing.
- 密封性能强，推拉门各缝隙均装有密封胶，焊接结构无缝隙，保温效果极佳，可充分节省能源。
  Strong sealing performance, sealant full of the gap, precision welding, good heat insulation effect are be able to save energy.

PVC平开门
PVC Casement Door

配 件
Hardware

产品介绍/Product Introduce

材料厚度 Material Thickness	型材壁厚2.5mm、钢衬壁厚1.5mm Profile Thickness 2.5mm 、Reinforcement Steel Thickness 1.5mm
型材颜色 Profile Color	白色/定制颜色 White / Customized Color
开启方式 Open Style	平开 Casement
玻璃厚度 Glass Thickness	单玻/中空 Single Glass / Double Glass
匹配纱窗 Matching Screen	隐形纱窗 Rolling Fly Screens
配件选择 Hardware Selection	国产/进口 Chinese Top Brand / German Brand

产品特点/Product Characteristics

- 塑钢型材多腔式结构，具有良好的隔热性能
  PVC profile is with multi-cavity structure, which can be effective in heat insulation.
- 塑钢门窗在安装时所有缝隙处均装有橡塑密封条和毛条，所以其气密性远远高于铝合金门窗
  The impermeability of PVC windows and doors is much better than aluminum windows and doors due to the rubber strip and wool strip in the gap when installing.
- 塑钢型腔内，可填加1.2-3MM厚的钢衬，抗风压性能强劲
  1.2-3mm reinforcement steel can be put in the cavity of pvc profile to resist the wind pressure well.
- 塑钢型材不易燃、不助燃、能自熄，安全可靠
  PVC profile is hard to be uninflammable and very safe for us.
- 塑钢型材具有独特的多腔式结构，均有独立的排水腔，无论是框还是扇的积水都能有效排出
  PVC profile have special multi-cavity structure, independent cavity on both the frame and sash for water draining away

PVC提拉窗
PVC Vertical Sliding Window

配 件
Hardware

产品介绍/Product Introduce

材料厚度 Material Thickness	型材壁厚2.5mm、钢衬壁厚1.5mm Profile Thickness 2.5mm 、Reinforcement Steel Thickness 1.5mm
型材颜色 Profile Color	白色/定制颜色 White / Customized Color
开启方式 Open Style	上下提拉、翻转 Sliding Vertically / Overturn
玻璃厚度 Glass Thickness	单玻/中空 Single Glass / Double Glass
匹配纱窗 Matching Screen	推拉纱窗/隐形纱窗 Sliding Fly Screens / Rolling Fly Screens
配件选择 Hardware Selection	国产/进口 Chinese Top Brand / German Brand

产品特点/Product Characteristics

- 采用上下提拉式开启，节省空间
  Sliding vertically, save the space room.
- 可以向室内翻转，便于窗户的卫生清洁
  Overturn inside, easy to clean the window
- 密封性、保温性、安全性能俱佳
  Excellent sealing performance, heat insulation and safety performance
- 便于安装在尺寸较小的洞口
  Easy to be installed on the small rough opening

PVC推拉窗
PVC Sliding Window

配 件
Hardware

产品介绍/Product Introduce

材料厚度 Material Thickness	型材壁厚2.5mm、钢衬壁厚1.5mm Profile Thickness 2.5mm 、Reinforcement Steel Thickness 1.5mm
型材颜色 Profile Color	白色/定制颜色 White / Customized Color
开启方式 Open Style	左右推拉 Sliding Horizontally
玻璃厚度 Glass Thickness	单玻/中空 Single Glass / Double Glass
匹配纱窗 Matching Screen	推拉纱窗/隐形纱窗 Sliding Fly Screens / Rolling Fly Screens
配件选择 Hardware Selection	国产/进口 Chinese Top Brand / German Brand

产品特点/Product Characteristics

- 欧洲标准槽口，密封性强，坚固耐用
  European standard notch, great sealing performance,strong and durable
- 可匹配多种配件（月牙锁、钩锁、执手锁）
  A variety of accessories can be matched(crescent lock, hook lock and handle lock)
- 推拉方便，轻松自如
  Slide easily
- 型材三轨设计，可装配纱网，防蚊虫效果极佳
  Three tracks design can be with fly screens, proofing the mosquito
- 可配置5+12A+5中空玻璃， 隔音、隔热、节能效果俱佳
  5mm+12A+5mm hollow glass can be used for it, great effect in soundproof, heat insulation and energy saving

PVC平开窗
PVC Casement Window

配 件 Hardware

产品介绍/Product Introduce

材料厚度 Material Thickness	型材壁厚2.5mm、钢衬壁厚1.5mm Profile Thickness 2.5mm 、Reinforcement Steel Thickness 1.5mm
型材颜色 Profile Color	白色/定制颜色 White / Customized Color
开启方式 Open Style	左右推拉 Sliding Horizontally
玻璃厚度 Glass Thickness	单玻/中空 Single Glass / Double Glass
匹配纱窗 Matching Screen	推拉纱窗/隐形纱窗 Sliding Fly Screens / Rolling Fly Screens
配件选择 Hardware Selection	国产/进口 Chinese Top Brand / German Brand

产品特点/Product Characteristics

- 塑钢型材多腔式结构，具有良好的隔热性能
  PVC profile multi-chamber structure, with good heat insulation performance
- 塑钢门窗在安装时所有缝隙处均装有橡塑密封条和毛条，所以其气密性远远高于铝合金门窗
  PVC doors and Windows in the installation of all gaps are equipped with rubber and plastic sealing strips and wool, so its sealing is much higher than aluminum alloy doors and Windows
- 塑钢型腔内，可填加1.2—3mm厚的钢衬，抗风压性能强劲
  PVC profile chamber can be filled with 1.2-3mm thick steel lining, strong wind pressure resistance
- 塑钢型材不易燃、不助燃、能自熄，安全可靠
  PVC profile is not flammable, not combustion, can extinguish, safe and reliable
- 塑钢型材具有独特的多腔式结构，均有独立的排水腔，无论是框还是扇的积水都能有效排出
  PVC profile has a good multi-chamber structure, are independent drainage cavity, whether it is the outer frame or the water can be effectively discharged fan

阳光房篇
Sun Room Chapter

SUN
ROOM

G 玻璃选择 lass Selection



单层玻璃 SINGLE GLASS

LOW-E

钢化玻璃 TEMPERED GLASS

中空玻璃 DOUBLE GLASS

镀膜玻璃 COATED GLASS

夹胶玻璃 LAMINATED GLASS

磨砂玻璃 FROSTED GLASS



弯刚玻璃 BENT TEMPERED GLASS

S 型材专用色卡篇(铝合金专用) pecial Color Card For Profiles

粉末喷涂/Powder Coating



氟碳烤漆/Fluorocarbon Lacquer That Bake

木纹转印/Wood Grain Transfer Printing



国内外的重大项目篇
Major Projects At Home And Abroad

上海亿仙大厦
Shanghai Yixian Building

无锡美新国际社区
Wuxi Meixin International Community

上海徐泾西郊别墅阳光房
Shanghai Xujing Western Suburb Villa Sun room

赞比亚清真寺
Zambia Mosque

苏州吴江别墅工程图
Suzhou Wujiang Villa Project Picture

苏州吴江别墅
Suzhou Wujiang Villa

江苏泰州泰墅园
Jiangsu Taizhou Villa Garden

安徽黄山钻石顶阳光房
Anhui Huangshan Diamond Proof Sun room

盐城瑞尔国际社区
Yancheng Ruier International Community

江苏泰州姜堰东方家园
Jiangsu Taizhou Jiangyan Dongfang Family

MIXXO五角场万达外立面
MIXXO Wujiao Wanda Square

韩林雅居
Hanlin Home