


DA YU 101 K710NA(A) (F 402) 繡縫車直角包邊筒 (插雷單折可調)
Right Angle Binder



標準厚度:
Standard Thickness: MH H



作用: 拉針織T恤領、袖等
用機: 2或3針拉雷車


Purpose: Binding of knitwear collar and sleeve.
Machine: 2 or 3 Needle Cover Stitch Machine

入口	出口
3/4"	1/4"
15/16"	5/16"
1-1/8"	3/8"
1-3/16"	7/16"
1-3/8"	1/2"
1-1/2"	9/16"
1-5/8"	5/8"
1-3/4"	11/16"
1-7/8"	3/4"
2-1/8"	7/8"
2-3/8"	1"
2-5/8"	1-1/8"
2-3/4"	1-3/16"
2-7/8"	1-1/4"
3"	1-5/16"
3-1/8"	1-3/8"
3-3/8"	1-1/2"

DA YU 102 K710NA(B) (F 401) 繡縫車直角包邊筒 (插雷雙折可調)
Right Angle Binder



標準厚度:
Standard Thickness: MH H



作用: 拉針織T恤領、袖等
用機: 2或3針拉雷車


Purpose: Binding of knitwear collar and sleeve.
Machine: 2 or 3 Needle Cover Stitch Machine

入口	出口
1"	1/4"
1-3/16"	5/16"
1-3/8"	3/8"
1-1/2"	7/16"
1-5/8"	1/2"
1-3/4"	9/16"
1-7/8"	5/8"
2"	11/16"
2-1/8"	3/4"
2-3/8"	7/8"
2-3/4"	1"
3-1/8"	1-1/8"
3-1/4"	1-1/4"
3-3/8"	1-5/16"
3-1/2"	1-3/8"
3-3/4"	1-1/2"

DA YU 103 K712NA(A) 繡縫車直角包邊筒 (平雷單折可調)
Right Angle Binder



標準厚度:
Standard Thickness: MH H



作用: 拉針織T恤領、袖等
用機: 2或3針拉雷車


Purpose: Binding of knitwear collar and sleeve.
Machine: 2 or 3 Needle Cover Stitch Machine

入口	出口
3/4"	1/4"
15/16"	5/16"
1-1/8"	3/8"
1-3/16"	7/16"
1-3/8"	1/2"
1-1/2"	9/16"
1-5/8"	5/8"
1-3/4"	11/16"
1-7/8"	3/4"
2-1/8"	7/8"
2-3/8"	1"
2-5/8"	1-1/8"
2-3/4"	1-3/16"
2-7/8"	1-1/4"
3"	1-5/16"
3-1/8"	1-3/8"
3-3/8"	1-1/2"

DA YU 104 K712NA(B) 繡縫車直角包邊筒 (平雷雙折可調)
Right Angle Binder



標準厚度:
Standard Thickness: MH H



作用: 拉針織T恤領、袖等
用機: 2或3針拉雷車

Purpose: Binding of knitwear collar and sleeve.
Machine: 2 or 3 Needle Cover Stitch Machine


入口	出口
1"	1/4"
1-3/16"	5/16"
1-3/8"	3/8"
1-1/2"	7/16"
1-5/8"	1/2"
1-3/4"	9/16"
1-7/8"	5/8"
2"	11/16"
2-1/8"	3/4"
2-3/8"	7/8"
2-3/4"	1"
3"	1-1/8"
3-1/8"	1-3/16"
3-1/4"	1-1/4"
3-3/8"	1-5/16"
3-1/2"	1-3/8"
3-3/4"	1-1/2"

DA YU 105

縫紉車直角包邊筒 (插雷散口可調)
Right Angle Binder



標準厚度:
Standard Thickness: MH H



入口	出口
1/2"	1/4"
5/8"	5/16"
3/4"	3/8"
7/8"	7/16"
1"	1/2"

作用: 拉橡筋, 針織T恤領、袖等
用機: 2或3針拉雷車


Purpose: Binding of knitwear collar and sleeve.(Elastic)
Machine: 2 or 3 Needle Cover Stitch Machine

DA YU 106

縫紉車直角包邊筒 (平雷散口可調)
Right Angle Binder



標準厚度:
Standard Thickness: MH H



入口	出口
1/2"	1/4"
5/8"	5/16"
3/4"	3/8"
7/8"	7/16"
1"	1/2"

作用: 拉橡筋, 針織T恤領、袖等
用機: 2或3針拉雷車


Purpose: Binding of knitwear collar and sleeve.(Elastic)
Machine: 2 or 3 Needle Cover Stitch Machine

DA YU 107 F404

縫紉車直角包邊筒 (插雷子母筒單折可調)
Right Angle Binder with Piping-Loose Bottom



標準厚度:
Standard Thickness: MH H




作用: 拉針織T恤領、袖、連細條
用機: 2或3針拉雷車

Purpose: Binding of knitwear collar and sleeve with piping.
Machine: 2 or 3 Needle Cover Stitch Machine


入口	出口
3/4"	1/4"
15/16"	5/16"
1-1/8"	3/8"
1-3/16"	7/16"
1-3/8"	1/2"
1-1/2"	9/16"
1-5/8"	5/8"
1-3/4"	11/16"
1-7/8"	3/4"
2-1/8"	7/8"
2-3/8"	1"

DA YU 108 F403

縫紉車直角包邊筒 (插雷子母筒雙折可調)
Right Angle Binder with Piping



標準厚度:
Standard Thickness: MH H





作用: 拉針織T恤領、袖、連細條
用機: 2或3針拉雷車

Purpose: Binding of knitwear collar and sleeve with piping.
Machine: 2 or 3 Needle Cover Stitch Machine

入口	出口
1"	1/4"
1-3/16"	5/16"
1-3/8"	3/8"
1-1/2"	7/16"
1-5/8"	1/2"
1-3/4"	9/16"
1-7/8"	5/8"
2"	11/16"
2-1/8"	3/4"
2-3/8"	7/8"
2-3/4"	1"

DA YU 109

綉縫車直角包邊筒 (平雷子母筒單折可調)
Right Angle Binder with Piping-Loose Bottom



作用：拉針幾T恤領、袖、連細條
用機：2或3針拉雷車


Purpose: Binding of knitwear collar and sleeve with piping.
Machine: 2 or 3 Needle Cover Stitch Machine

標準厚度：
Standard Thickness: MH H

入口	出口
3/4"	1/4"
15/16"	5/16"
1-1/8"	3/8"
1-3/16"	7/16"
1-3/8"	1/2"
1-1/2"	9/16"
1-5/8"	5/8"
1-3/4"	11/16"
1-7/8"	3/4"
2-1/8"	7/8"
2-3/8"	1"

DA YU 110

綉縫車直角包邊筒 (平雷子母筒雙折可調)
Right Angle Binder with Piping



作用：拉針幾T恤領、袖、連細條
用機：2或3針拉雷車


Purpose: Binding of knitwear collar and sleeve with piping.
Machine: 2 or 3 Needle Cover Stitch Machine

標準厚度：
Standard Thickness: MH H

入口	出口
1"	1/4"
1-3/16"	5/16"
1-3/8"	3/8"
1-1/2"	7/16"
1-5/8"	1/2"
1-3/4"	9/16"
1-7/8"	5/8"
2"	11/16"
2-1/8"	3/4"
2-3/8"	7/8"
2-3/4"	1"

DA YU 111

綉縫車直角包邊筒 (插雷落橡筋雙折可調)
Right Angle Binder For Swim Wear



作用：包橡筋、泳衣、內褲
用機：2或3針拉雷車


Purpose: By Inserted Elastic
Machine: 2 or 3 Needle Cover Stitch Machine

標準厚度：
Standard Thickness: H MH

入口	出口
15/16"	5/16"
1-1/8"	3/8"
1-3/8"	1/2"
1-5/8"	5/8"

DA YU 112

綉縫車直角包邊筒 (插雷落橡筋雙折可調)
Right Angle Binder For Swim Wear



作用：包橡筋、泳衣、內褲
用機：2或3針拉雷車

Purpose: By Inserted Elastic
Machine: 2 or 3 Needle Cover Stitch Machine

標準厚度：
Standard Thickness: H MH


入口	出口
1-1/4"	5/16"
1-1/2"	3/8"
1-3/4"	1/2"
2"	5/8"

DA YU 113

縫紉車直角包邊筒 (平山落橡筋單折可調)
Right Angle Binder For Swim Wear



標準厚度:
Standard Thickness: H MH



入口	出口
15/16"	5/16"
1-1/8"	3/8"
1-3/8"	1/2"
1-5/8"	5/8"

作用: 包橡筋、泳衣、內褲
用機: 2或3針拉筋車


Purpose: By Inserted Elastic
Machine: 2 or 3 Needle Cover
Stitch Machine

DA YU 114

縫紉車直角包邊筒 (平山落橡筋雙折可調)
Right Angle Binder For Swim Wear



標準厚度:
Standard Thickness: H MH



入口	出口
1-1/4"	5/16"
1-1/2"	3/8"
1-3/4"	1/2"
2"	5/8"

作用: 包橡筋、泳衣、內褲
用機: 2或3針拉筋車


Purpose: By Inserted Elastic
Machine: 2 or 3 Needle Cover
Stitch Machine

DA YU 115

長插單折可調
Right Angle Binder



標準厚度:
Standard Thickness: MH H



入口	出口
3/4"	1/4"
15/16"	5/16"
1-1/8"	3/8"
1-3/8"	1/2"
1-5/8"	5/8"
1-7/8"	3/4"
2-1/8"	7/8"
2-3/8"	1"

作用: 拉針織T恤領、袖等
用機: 2或3針拉筋車


Purpose: Binding of knitwear
collar and sleeve.
Machine: 2 or 3 Needle Cover
Stitch Machine

DA YU 116

長插雙折可調
Right Angle Binder



標準厚度:
Standard Thickness: MH H



入口	出口
1"	1/4"
1-1/4"	5/16"
1-1/2"	3/8"
1-3/4"	1/2"
2"	5/8"
2-1/4"	3/4"
2-1/2"	7/8"
2-3/4"	1"

作用: 拉針織T恤領、袖等
用機: 銀箭、雷車


Purpose: Binding of knitwear
collar and sleeve.
Machine: Siruba
C007E-W-222-356CQ

DA YU 107

繡縫車直角包邊筒 (平雷單折)
Right Angle Binder



標準厚度:
Standard Thickness: MH H



作用: 拉針織T恤領、袖等
用機: 2或3針拉雷車

Purpose: Binding of knitwear collar and sleeve.
Machine: 2 or 3 Needle Cover Stitch Machine


入口
20mm
25mm
30mm
35mm
40mm
45mm
50mm
55mm
60mm
65mm
70mm

DA YU 118

繡縫車直角包邊筒 (平雷雙折)
Right Angle Binder



標準厚度:
Standard Thickness: MH H



作用: 拉針織 領、袖等
用機: 2或3針拉雷車

Purpose: Binding of knitwear collar and sleeve.
Machine: 2 or 3 Needle Cover Stitch Machine

入口
20mm
25mm
30mm
35mm
40mm
45mm
50mm
55mm
60mm
65mm
70mm

DA YU 119 A10/S60

平車直角包邊筒
Right Angle Bias Binder



A 厚料

B 特厚料

標準厚度: (A) M MH H-中厚料 (B) XH-特厚料 (B)

作用: 綳彎布邊
用機: 單針平車

Purpose: Binding of curve edge
Machine: 1 Needle Lockstitch Machine

入口
16mm
18mm
20mm
22mm
24mm
26mm
28mm
30mm
32mm
34mm
36mm
38mm
40mm
45mm
50mm
55mm
60mm

DA YU 120 K10

平車直角包邊筒 (活動可調)
Right Angle Bias Binder



標準厚度:
Standard Thickness: M MH


作用: 綳彎布邊
用機: 單針平車

Purpose: Binding of curve edge
Machine: 1 Needle Lockstitch Machine

入口
18mm
20mm
22mm
24mm
26mm
28mm
30mm
32mm
34mm
36mm
38mm
40mm
42mm
45mm
50mm

DA YU 121 A4/100

散口曲咀包邊筒
Edge Binder



作用：包硬身布料等
用機：單針平車



Purpose: Binding of curve edge
Machine: 1 Needle Lockstitch Machine

標準厚度:	M	MH	H
Standard Thickness:			

入口	出口
3/8"	3/16"
1/2"	1/4"
5/8"	5/16"
3/4"	3/8"
7/8"	7/16"
1"	1/2"
1-1/8"	9/16"
1-1/4"	5/8"
1-3/8"	11/16"
1-1/2"	3/4"

DA YU 122 AT18

平車直角包邊筒 (散口)
Right Angle Bias Binder



作用：薄物、皮革物料合用
用機：單針平車


Purpose: Thin Light Material
Machine: 1 Needle Lockstitch Machine

標準厚度:	MH
Standard Thickness:	


入口	出口
18mm	9mm

DA YU 123 A9/508

曲咀包邊筒 (環口)
Plain Bias Binder



入口	出口
3/4"	3/16"
1"	1/4"
1-1/4"	5/16"
1-1/2"	3/8"
1-3/4"	1/2"
2"	5/8"



作用：綉邊
用機：單針平車



Purpose: Binding edge
Machine: 1 Needle Lockstitch Machine

標準厚度:	M	MH
Standard Thickness:		

入口
20mm
22mm
24mm
26mm
28mm
30mm
32mm
34mm
36mm
38mm
40mm
45mm
50mm
55mm
60mm

DA YU 124

曲咀包邊筒 (散口)
Braid or Tape Binder



作用：拉皮革塑膠織帶
用機：單針平車

Purpose: Edge Binder (Leather)
Machine: 1-Needle Lockstitch Machine

標準厚度:	M	MH	H
Standard Thickness:			


入口	出口
1/2"	1/4"
5/8"	5/16"
3/4"	3/8"
7/8"	7/16"
1"	1/2"
1-1/8"	9/16"
1-1/4"	5/8"
1-3/8"	11/16"
1-1/2"	3/4"

DA YU 125

散口包邊筒 (平車用)
Right Angle Bias Binder



标准厚度:
Standard Thickness: MH H




作用: 细窄布边
用機: 單針平車
Purpose: Binding of curve edge.
Machine: 1 Needle Lockstitch Machine

入口
12mm
14mm
15mm
16mm
18mm
20mm
22mm
24mm
25mm
26mm
28mm
30mm
32mm

DA YU 126 S64 (F531)


平車直角包邊筒 (散口)
Right Angle Bias Binder



标准厚度:
Standard Thickness: MH H



标准厚度:
Standard Thickness: XH



作用: 细窄布边
用機: 單針平車
Purpose: Binding of curve edge.
Machine: 1 Needle Lockstitch Machine


入口
12mm
14mm
15mm
16mm
18mm
20mm
22mm
24mm
25mm
26mm
28mm
30mm
32mm
34mm
36mm
38mm
40mm
42mm
44mm
46mm
48mm
50mm

DA YU 127

侧袖筒



标准厚度:
Standard Thickness: M MH H




袖
Sleeve

作用: 缝袖侧
用機: 單針平車
Purpose: Attach sleeve placket.
Machine: 1 Needle Lockstitch Machine

入口	出口
3/4"	3/16"
1"	1/4"
1-1/8"	5/16"
1-1/4"	3/8"
1-3/8"	7/16"
1-5/8"	1/2"
1-7/8"	5/8"
2-1/4"	3/4"
2-1/2"	7/8"
2-3/4"	1"

DA YU 128

拉带器
Belt Folder





入口	出口
3/4"	3/16"
1"	1/4"
1-1/8"	5/16"
1-1/4"	3/8"
1-3/8"	7/16"
1-5/8"	1/2"
1-7/8"	5/8"
2-1/4"	3/4"
2-1/2"	7/8"
2-3/4"	1"

作用: 束带
用機: 單針及雙針車合用

Purpose: Belt Sewing.
Machine: For Single Needle & Double Machine

标准厚度:
Standard Thickness: M MH H



DAYU 129

飛馬包縫車包邊筒
Edge Binder for Pegasus Overlock Machine


入口
22mm
24mm
26mm
28mm



標準厚度:
Standard Thickness: M

作用: 口袋邊包縫
用機: 飛馬L22-0E
Purpose: Pocket Binding
Machine: Pegasus L22

129 B




作用: 細布邊
用機: 祖奇包縫車




DAYU 130

祖奇包縫車包邊筒 (散口)
Edge Binder for JUKI Overlock Machine

入口
1/2"



標準厚度:
Standard Thickness: M



作用: 細布邊
用機: 祖奇包縫車


DAYU 131

祖奇包縫車包邊筒
Edge Binder for Pegasus Overlock Machine

入口
22mm
24mm
26mm
28mm



標準厚度:
Standard Thickness: M




作用: 細布邊
用機: 祖奇包縫車


DAYU 132

散口鞋邊包邊筒
Single Needle Binders (for Shoes)

入口
1/2"
5/8"
3/4"
7/8"
1"



標準厚度:
Standard Thickness: H XH




作用: 厚物、皮革及塑膠材料用
用機: 單針平車

Purpose: For Thick Leather and Rubber Material
Machine: 1 Needle Lockstitch Machine

DA YU 133 (F516)

耳仔筒
Loop Folder



入口	出口
3/4"	3/16"
1"	1/4"
1-1/4"	5/16"
1-1/2"	3/8"

作用：車耳仔、帶
用機：單針平車

Purpose: Loop, belt sewing.
Machine: 1 Needle Lockstitch
Machine

標準厚度：
Standard Thickness: MH H

DA YU 134 (F515)

平車靴頭筒
Loop Folder Foot





入口	出口
1/2"	1/8"
3/4"	3/16"
1"	1/4"
1-1/4"	5/16"

作用：車耳仔
用機：單針平車


Purpose: Loop sewing.
Machine: 1 Needle Lockstitch
Machine

標準厚度：
Standard Thickness: M MH



DA YU 135 (AT8)

平車皮革包邊器（散口）
Edge Binder for Single Needle Machine



入口
8mm
10mm
12mm
14mm
16mm
18mm
20mm
22mm



作用：薄物、薄皮革及
塑膠材料用
用機：單針車

Purpose: Thin Light Material
Machine: 1-Needle Lockstitch
Machine

標準厚度：
Standard Thickness: M

DA YU 136 (AT8)

平車皮革包邊器（面環底散）
Edge Binder for Single Needle Machine



入口
12mm
14mm
16mm
18mm
20mm
22mm
24mm
26mm


作用：薄物、薄皮革及
塑膠材料用
用機：單針車

Purpose: Thin Light Material
Machine: 1-Needle Lockstitch
Machine


標準厚度：
Standard Thickness: M

DA YU 137 (AT8)

平車皮革包邊器 (雙環)
Edge Binder for Single Needle Machine



標準厚度:
Standard Thickness: M



作用: 薄物、薄皮革及
塑膠材料用
用機: 單針車

Purpose: Thin Light Material
Machine: 1-Needle Lockstitch
Machine


入口
18mm
20mm
22mm
24mm
26mm
28mm
30mm
32mm

DA YU 138 (335)

細咀包邊筒 (散口)
Binder for Small-sized Cylinder Bed Machine



標準厚度:
Standard Thickness: M MH H



作用: 細窄料
用機: 筒形單針車

Purpose: Curve Edge Binder
Machine: Cylinder-Bed
Machine


入口
10mm
12mm
13mm
14mm
15mm
16mm
18mm
20mm
22mm
24mm
26mm
28mm

DA YU 139 (335)

細咀包邊筒 (面環底散)
Edge Binder for Single Needle Machine



標準厚度:
Standard Thickness: M MH H



作用: 細窄料
用機: 筒形單針車

Purpose: Curve Edge Binder
Machine: Cylinder-Bed
Machine


入口
18mm
20mm
22mm
24mm
26mm
28mm

DA YU 140 (335)

細咀包邊筒 (雙環)
Binder for Small-sized Cylinder Bed Machine



標準厚度:
Standard Thickness: M MH H




作用: 細窄料
用機: 筒形單針車

Purpose: Curve Edge Binder
Machine: Cylinder-Bed
Machine

入口
18mm
20mm
22mm
24mm
26mm
28mm
30mm
32mm

DA YU 141 (F301)

褲頭筒
Waist Band Folder



作用：縫折褲頭、褲頭（沒有朴）

用機：2或4針褲頭車

Purpose: Binding of waist band (without lining)
Machine: 2 or 4 Needle Waist Band Machine

入口	出口
2-3/4"	1"
3"	1-1/8"
3-1/8"	1-3/16"
3-1/4"	1-1/4"
3-1/2"	1-3/8"
3-3/4"	1-1/2"
4"	1-1/2"
4"	1-5/8"
4-1/4"	1-3/4"
4-1/2"	1-7/8"
4-3/4"	2"

標準厚度：
Standard Thickness: MH H XH

DA YU 142 (F302)

褲頭筒有朴
Waist Band Folder With Lining




作用：縫折褲頭、褲頭（有朴）

用機：2或4針褲頭車

Purpose: Hemming waist band with elastic.

Machine: 2, 3, 4 Needle Elastic Machine




入口	出口
2-3/4"	1"
3"	1-1/8"
3-1/8"	1-3/16"
3-1/4"	1-1/4"
3-1/2"	1-3/8"
3-3/4"	1-1/2"
4"	1-1/2"
4"	1-5/8"
4-1/4"	1-3/4"
4-1/2"	1-7/8"
4-3/4"	2"

標準厚度：
Standard Thickness: MH H XH



DA YU 143 (F303)

散底褲頭筒
Waist Band Folder



作用：縫折褲頭、褲頭（散底，沒有朴）

用機：2或4針褲頭車


Purpose: Binding of waist band (loose bottom, without lining)
Machine: 2 or 4 Needle Waist Band Machine

入口	出口
2-3/4"	1"
3"	1-1/8"
3-1/8"	1-3/16"
3-1/4"	1-1/4"
3-1/2"	1-3/8"
3-3/4"	1-1/2"
4"	1-5/8"
4-1/4"	1-3/4"
4-1/2"	1-7/8"
4-3/4"	2"

標準厚度：
Standard Thickness: MH H XH

DA YU 144 (F304)

散底褲頭筒有朴
Waist Band Folder With Lining



作用：縫折褲頭、褲頭（散底，有朴）

用機：2或4針褲頭車


Purpose: Binding of waist band (loose bottom, with lining)
Machine: 2 or 4 Needle Waist Band Machine

入口	出口
2-3/4"	1"
3"	1-1/8"
3-1/8"	1-3/16"
3-1/4"	1-1/4"
3-1/2"	1-3/8"
3-3/4"	1-1/2"
4"	1-5/8"
4-1/4"	1-3/4"
4-1/2"	1-7/8"
4-3/4"	2"


標準厚度：
Standard Thickness: MH H XH

DA YU 145

人字縫包邊筒 (散口)
Edge Binder (for Zigzag Sewing)



標準厚度: Standard Thickness:	M	MH
------------------------------	---	----




用機: 蘇家人字車
Machine: Singer Zigzag Needle Plate


入口	出口
1/2"	1/4"
5/8"	5/16"

DA YU 146

人字縫包邊筒 (面環底散)
Edge Binder (for Zigzag Sewing)



標準厚度: Standard Thickness:	M	MH
------------------------------	---	----




用機: 蘇家人字車
Machine: Singer Zigzag Needle Plate


入口	出口
1/2"	3/16"
3/4"	1/4"

DA YU 147

人字縫包邊筒 (雙環)
Edge Binder (for Zigzag Sewing)



標準厚度: Standard Thickness:	M	MH
------------------------------	---	----




用機: 蘇家人字車
Machine: Singer Zigzag Needle Plate

入口	出口
3/4"	3/16"
1"	1/4"



DA YU 148 F548

通心暗線縫拉帶器
Spaghetti Attachment

作用: 車暗線耳仔筒
用機: 單針平車
Purpose: Make spaghetti like tube
Machine: 1 Needle Lockstitch Machine



本工序
This Procedure




下一工序
Next Procedure

標準厚度: Standard Thickness:	M	MH
------------------------------	---	----




入口	出口
1/2"	1/8"
3/4"	3/16"
1"	1/4"
2/8"	5/16"
1-3/8"	3/8"
1-1/2"	1/2"

DA YU 149大筒筒型車懸掛式包邊筒 (散口)
Suspended Binder for Large-sized Cylinder Bed Machine

入口	
5/8"	
3/4"	
7/8"	
1"	
1-1/8"	
1-1/4"	
1-3/8"	
1-1/2"	

作用：皮革、塑膠
用機：筒型大咀單針車用


標準厚度：	H	XH
Standard Thickness:	H	XH

Purpose: Leather Plastic
Machine: For Chlinder Bed**DA YU 150**大筒筒型車懸掛式包邊筒 (環口)
Suspended Binder for Large-sized Cylinder Bed Machine

入口	出口
1"	1/4"
1-1/4"	5/16"
1-1/2"	3/8"


作用：皮革、塑膠
用機：筒型大咀單針車用

標準厚度：	MH
Standard Thickness:	MH

Purpose: Leather Plastic
Machine: For Chlinder Bed**DA YU 151**大筒筒型車包邊筒 (散口)
Binder for Large-sized Cylinder Bed Machine

入口	
5/8"	
3/4"	
7/8"	
1"	

標準厚度：	H	XH
Standard Thickness:	H	XH


DA YU 152大筒筒型車包邊筒 (環口)
Binder for Large-sized Cylinder Bed Machine

入口	出口
1"	1/4"
1-1/4"	5/16"
1-1/4"	3/8"

標準厚度：	H	XH
Standard Thickness:	H	XH

DA YU 153 F537

折帶貼拉筒
Plait Folder



入口	出口
1-1/2"	1/2"
2"	5/8"
2-1/4"	3/4"
2-1/2"	7/8"
2-3/4"	1"
3"	1-1/8"

作用：摺帶貼，如袖側
用機：熱壓機

Purpose: Fold plait e.g. sleeve placket.
Machine: Roller Press

標準厚度：
Standard Thickness: MH

DA YU 154 F538

三尖側貼筒
Triangular Sleeve Placket Folder




作用：折三尖側貼

用機：熱壓機

Purpose: Fold triangular sleeve placket.

Machine: Hot Roll Machine




入口	出口
2-1/4"	3/4"
2-1/2"	7/8"
2-3/4"	1"
3"	1-1/8"

標準厚度：
Standard Thickness: MH H

DA YU 155 F305

封咀褲頭筒
Waist Band Folder



入口	出口
3"	1-1/8"
3-1/8"	1-3/16"
3-1/2"	1-1/4"
3-3/4"	1-3/8"
4"	1-1/2"
4-1/4"	1-5/8"
4-1/2"	1-3/4"
4-3/4"	1-7/8"
5"	2"

作用：在車縫前，可
先將褲頭內折


用機：勝嘉褲頭車

Purpose: Close end of waist
before stitching.
Machine: Singer Waist Band
Machine

標準厚度：
Standard Thickness: M MH

DA YU 156 F306

封咀褲頭筒（散底）
Waist Band Folder



入口	出口
3"	1-1/8"
3-1/8"	1-3/16"
3-1/2"	1-1/4"
3-3/4"	1-3/8"
4"	1-1/2"
4-1/4"	1-5/8"
4-1/2"	1-3/4"
4-3/4"	1-7/8"
5"	2"


作用：在車縫前，可
先將褲頭內折，
（散底，有衬）

用機：勝嘉褲頭車

Purpose: Close end of waist
before stitching.
(loose bottom, with
lining)
Machine: Singer Waist Band
Machine

標準厚度：
Standard Thickness: H XH

DAYU 157 F220 細條袖口筒 Placket Binder with Piping



作用：女袖側袖，睡
衣袖筒及褲頭
用有細條
用機：單針平車




Purpose: Blouse sleeve
placket, Pyjama
cuff placket and
waist band with
piping.
Machine: 1 Needle Lockstitch
Machine

入口	出口
2-3/4"	1"
3"	1-1/8"
3-1/8"	1-3/16"
3-1/4"	1-1/4"
3-1/2"	1-3/8"
3-3/4"	1-1/2"
4"	1-5/8"
4-1/2"	1-3/4"

標準厚度：
Standard Thickness:

M	MH
---	----

DAYU 158 F218 單針接袖器 (單針車用) Single Needle Sleeve Attachment (Single Needle Operation)



出口
1/4"
5/16"
3/8"


標準厚度：
Standard Thickness:

M	MH
---	----

作用：單針袖
用機：單針平車
Purpose: Single Needle Sleeve
Machine: 1 Needle Lockstitch
Machine

DAYU 159 F535 暗綫耳仔筒 Spaghetti Attachment

入口	出口
3/4"	1/8"
1"	3/16"
1-1/8"	1/4"
1-3/8"	5/16"
1-1/2"	3/8"
1-3/4"	1/2"




標準厚度：
Standard Thickness:

M

作用：車暗綫耳仔筒
用機：單針平車

Purpose: Make spaghetti like
tube.
Machine: 1 Needle Lockstitch
Machine

DAYU 160 F536 厚料直角包邊筒 (散口) Right Angle Bias Binder



入口
12mm
14mm
15mm
16mm
18mm
20mm
22mm
24mm
25mm
26mm
28mm
30mm
32mm

作用：細彎布邊
用機：單針平車


Purpose: Binding of curve
edge.
Machine: 1 Needle Lockstitch
Machine

160 B 特厚料

160C 高頭車用

DA YU 161

平車直角包邊筒 (面環底散)
Right Angle Bias Binder




入口
18mm
20mm
22mm
24mm
26mm
28mm
30mm
32mm

作用: 綳彎布邊
用機: 單針平車

Purpose: Binding of curve edge
Machine: 1 Needle Lockstitch Machine

DA YU 162

綉縫車直角包邊筒 (散口插口)
Right Angle Bias Binder




入口
12mm
14mm
16mm
18mm
20mm
22mm
24mm
26mm

作用: 拉橡筋、綉織T恤領、袖子
用機: 2或3針拉筋車

Purpose: Binding of knitwear collar and sleeve.(Elastic)
Machine: 2 or 3 Needle Cover Stitch Machine

DA YU 163

胸罩包邊器
Brassiere Edge Binder




出口
5.2mm
6.4mm
8mm

作用: 在車縫前, 可
先將褲頭內折
用機: 磅嘉褲頭車

Purpose: Close end of waist before stitching.
Machine: Singer Waist Band Machine

DA YU 164

包鋼線貼邊器
Bra Underwire Support Attachment




B Type
入口 Tape Size: 1-1/2"
出口 Finished Size: 3/8"
襯裡 Lining: 3/4"
針距 Needle Space: 1/4"

A Type
入口 Tape Size: 1-1/8"
出口 Finished Size: 3/8"
針距 Needle Space: 1/4"

DA YU 165



橡筋包邊筒 (散口)



入口
12mm
13mm
14mm
15mm
16mm
17mm
18mm
19mm
20mm
21mm
22mm
23mm
24mm
25mm

DA YU 166



平車包邊筒 (雙環)



入口
20mm
22mm
24mm
25mm
26mm
28mm
30mm
32mm
34mm
35mm
36mm
40mm
45mm
50mm

DA YU 167 (MS325)

褲頭筒
Waist Band Folder



入口	出口
90mm	35mm
95mm	37.5mm
100mm	40mm
105mm	42.5mm
110mm	45mm
115mm	47.5mm
120mm	50mm

作用: 縫折褲頭、裙頭 (沒有朴)
用機: 2 或 4 針褲頭車

Purpose: Binding of waist band (without lining).
Machine: 2 or 4 Needle Waist Band Machine


DA YU 168

平車橡筋拉帶筒
Belt Binder (Elastic Inside)



標準厚度:
Standard Thickness: M



尺寸a Size	橡筋	3/8	1/2	5/8	3/4



作用: 包帽
用機: 單針平車
Purpose: Folder of elastic
Machine: 1-Needle lockstitch machine

DA YU 169

双针摺边筒




針距尺寸
1/8"
3/16"
1/4"
5/16"
3/8"
1/2"
5/8"
3/4"
7/8"
1"

作用：摺、針織
 用機：2、4針直用
 Purpose: Hat Folder
 Machine: 2, 4 Needle Machine

DA YU 170

平車包邊筒 (面環底散)



入口
20mm
25mm
30mm
35mm
40mm
45mm
50mm
55mm
60mm
65mm
70mm


作用：綉彎布邊
 用機：單針平車

Purpose: Binding of curve edge
 Machine: 1 Needle Lockstitch Machine

標準厚度:	MH	H
Standard Thickness:	MH	H

DA YU 171

平車包邊筒 (雙環)



入口
20mm
25mm
30mm
35mm
40mm
45mm
50mm
55mm
60mm
65mm
70mm


作用：綉彎布邊
 用機：單針平車

Purpose: Binding of curve edge
 Machine: 1 Needle Lockstitch Machine

標準厚度:	MH	H
Standard Thickness:	MH	H

DA YU 172 銀箭 星菱專用

縫織車直角包邊筒 (平雷單折可調)
 Right Angle Binder




作用：拉針織T恤領、袖等
 用機：2或3針拉雷車

Purpose: Binding of knitwear collar and sleeve.
 Machine: 2 or 3 Needle Cover Stitch Machine

標準厚度:	MH	H
Standard Thickness:	MH	H


入口	出口
3/4"	1/4"
15/16"	5/16"
1-1/8"	3/8"
1-3/16"	7/16"
1-3/8"	1/2"
1-1/2"	9/16"
1-5/8"	5/8"
1-3/4"	11/16"
1-7/8"	3/4"
2-1/8"	7/8"
2-3/8"	1"
2-5/8"	1-1/8"
2-3/4"	1-3/16"
2-7/8"	1-1/4"
3"	1-5/16"
3-1/8"	1-3/8"
3-3/8"	1-1/2"

DA YU 173 银箭 星菱专用 缝线直角包边筒 (平山单折可调)
Right Angle Binder



标准厚度:
Standard Thickness:

MH	H
----	---



作用: 拉针线T恤领、袖等
用机: 2或3针拉雷卓
Purpose: Binding of knitwear collar and sleeve.
Machine: 2 or 3 Needle Cover Stitch Machine

入口	出口
3/4"	1/4"
5/16"	5/16"
1-1/8"	3/8"
1-3/16"	7/16"
1-3/8"	1/2"
1-1/2"	9/16"
1-5/8"	5/8"
1-3/4"	11/16"
1-7/8"	3/4"
2-1/8"	7/8"
2-3/8"	1"
2-5/8"	1-1/8"
2-3/4"	1-3/16"
2-7/8"	1-1/4"
3"	1-5/16"
3-1/8"	1-3/8"
3-3/8"	1-1/2"


DA YU 174



DA YU 175



DA YU176 时装筒
Bottom Elastic Waist Band Folder




DA YU 201 A75U 散口拉脚筒
Single Up Turn Folder



标准厚度:
Standard Thickness:

M	MH	H
---	----	---



作用: 一般上折布边, 如领下纸
用机: 单针平车
Purpose: Single up turn folding of general purpose e.g. collar band bottom.
Machine: 1 Needle Lockstitch Machine

规格

3/16"
1/4"
5/16"
3/8"
1/2"
5/8"
3/4"
7/8"
1"

DA YU 202 U12 雨傘筒 Twin Plain Hemmer

作用：拉傘邊
用機：單針平車

Purpose: Umbrella Edge Hemmer
Machine: 1-Needle Lock Stitch Machine




標準厚度：
Standard Thickness: M

規格

2.5X3
3X3.5
3.5X4
4X5
4.5X5
5X.5.5
5.5X6
6X6.5

DA YU 203 A11/S72L 拉脚筒 Swing Hemmer




標準厚度：
Standard Thickness: M MH H

作用：一般直折邊用
用機：單針平車
Purpose: General straight hemming
Machine: 1 Needle Lochstitch Machine

規格

1/8"	1-1/8"
3/16"	1-3/16"
1/4"	1-1/4"
5/16"	1-3/8"
3/8"	1-1/2"
7/16"	1-5/8"
1/2"	1-3/4"
9/16"	1-7/8"
5/8"	2"
11/16"	
3/4"	
13/16"	
7/8"	
1"	

DA YU 204 A70/S70 擺動式彈弓咀卷邊器 Spring Type Swing Hemmer



標準厚度：
Standard Thickness: M MH H

作用：折邊用，筒咀有彈性，能容許厚骨通過
用機：單針平車
Purpose: General hemming spring socket allows cross seam pass
Machine: 1 Needle Lochstitch Machine

規格


1/8"
3/16"
1/4"
5/16"
3/8"
1/2"
5/8"

DA YU 205 活動凹脚筒 Adjustable Cloth Guide



作用：拉針織T恤下擺
用機：2或3針拉凹車
Purpose: Binding of knitwear collar
Machine: 2 or 3 Needle Cover Stitch Machine

DA YU 224 活動凹脚筒 Adjustable Cloth Guide



標準厚度：
Standard Thickness: MH H


DA YU 206 F224

**袖口接縫器 (鷓英)
Cuff Setter**



作用: 上袖口
用機: 單針平車

Purpose: Attach cuff to sleeve.
Machine: 1 Needle Lockstitch Machine




标准厚度:
Standard Thickness: M



DA YU 207

**綉縫車折邊器
Single Down-turn Folder for Covering Stitch**



作用: 拉針綉T恤領、袖等
用機: 2或3針拉綉車

Purpose: Binding of knitwear collar and sleeve.
Machine: 2 or 3 Needle Cover Stitch Machine

标准厚度:
Standard Thickness: M MH

出口
3/8"
1/2"
5/8"
3/4"
7/8"
1"
1-1/8"
1-1/4"
1-3/8"
1-1/2"

DA YU 208 F204

**假返明筒
Imitation Folder**


标准厚度:
Standard Thickness: MH H XH



DA YU 208B F204-AD

**假返明筒 (活动底止口)
Imitation Folder (Adjustable Margin)**

出口
1"
1-1/8"
1-3/16"
1-1/4"
1-3/8"
1-1/2"
1-5/8"




作用: 男女衫前胸明筒—有补
用機: 2或4針綉車


Purpose: Top center plait of shirt and blouse with lining.
Machine: 2 or 4 Needle Placket Machine

DA YU 209

**褲子腰部包松緊帶卷邊器 (綉縫車用)
Down Turn Elastic Hemmer for Covering Stitch**



标准厚度:
Standard Thickness: M MH H



用機: 2或3針拉綉車

Machine: 2 or 3 Needle Cover Stitch Machine


出口
1/4"
3/8"
1/2"

DA YU 210 F315 包心橡筋筒
Down Turn Elastic Hemmer



标准厚度:
Standard Thickness:

MH	H	XH
----	---	----



作用: 原身包橡筋裤头
用机: 2, 3, 4 针橡筋车
Purpose: Hemming waist band with elastic.
Machine: 2, 3, 4 Needle Elastic Machine

橡筋尺寸

3/4"
7/8"
1"
1-1/8"
1-1/4"
1-3/8"
1-1/2"
1-5/8"
1-3/4"
1-7/8"
2"

DA YU 211 F316 散底包心橡筋筒
Down Turn Hemmer-Loose Bottom



标准厚度:
Standard Thickness:

MH	H	XH
----	---	----



作用: 原身包橡筋裤头
用机: 2, 3, 4 针橡筋车

Purpose: Hemming waist band with elastic-loose bottom.
Machine: 2, 3, 4 Needle Elastic Machine

橡筋尺寸

3/4"
7/8"
1"
1-1/8"
1-1/4"
1-3/8"
1-1/2"
1-5/8"
1-3/4"
1-7/8"
2"


DA YU 212 F203 恤衫拉筒
Top Center Plait Hemmer



作用: 男女恤前胸明筒一有补
用机: 2或4针筒车
Purpose: Top centre plait of shirt and blouse-with lining.
Machine: 2 or 4 Needle Placket Machine


标准厚度:
Standard Thickness:

M	MH
---	----



规格

7/8"
1"
1-1/8"
1-3/16"
1-1/4"
1-3/8"
1-1/2"




DA YU 213 F331 底兜袋口筒
Down Turn Hemmer



标准厚度:
Standard Thickness:

H	XH
---	----




作用: 袋口向下环折, 可同時縫上高标
用机: 雙針車
Purpose: Down turn back pocket hemming. Allow label to be sewn together.
Machine: 2 Needle Machine

规格

3/8"
7/16"

DA YU 214 F409 底環散口筒
Single Down Tun Folder




規格
5/16"
3/8"
1/2"
5/8"
3/4"
7/8"
1"
1-1/8"
1-1/4"

標準厚度:	H	XH
Standard Thickness:	H	XH

作用：拉針織袖、腳用
用機：雙針拉訂車
Purpose: Knitwear sleeve and bottom.
Machine: 2 Needle Cover Stitch Machine

DA YU 215 F509 細條拉腳筒
Swing Hemmer with Piping




規格
1/2"
5/8"
3/4"
7/8"
1"
1-1/8"
1-1/4"
1-3/8"
1-1/2"
1-5/8"
1-3/4"
規格
3/4" 3/8"

標準厚度:	M	MH
Standard Thickness:	M	MH

作用：折布邊同時加有細條
用機：單針平車
Purpose: General hemming with decorative piping.
Machine: 1 Needle Lockstitch Machine

DA YU 216 F222 折腳拉筒
Slander Hemmer




規格
3/4"
7/8"
1"
1-1/8"
1-1/4"
1-3/8"
1-1/2"

標準厚度:	M	MH
Standard Thickness:	M	MH

作用：設計用於短裁片折腳用
用機：單針平車
Purpose: Design for short piece hemming e.g. pocket, short sleeve.
Machine: 1 Needle Lockstitch Machine

DA YU 217 兩傘筒
Twin Plan Hemmer


入口
3mm
4mm
5mm
6mm



標準厚度:	M
Standard Thickness:	M



**DA YU 218 F206 拉鈕子筒
Plait Folder**




規格
7/8"
1"
1-1/8"
1-3/16"
1-1/4"
1-3/8"
1-1/2"

標準厚度: Standard Thickness:	M	MH
------------------------------	---	----

作用: 加長紙口代替
朴布, 能用於
恤衫筒
用機: 單針平車
Purpose: Full margin serve
same purpose of
interlining. Use on
shirt placket.
Machine: 1 Needle Lockstitch
Machine

**DA YU 219 F207 拉鈕子筒有朴
Plait Folder with Interlining**




規格
3/4"
7/8"
1"
1-1/8"
1-3/16"
1-1/4"
1-3/8"
1-1/2"

標準厚度: Standard Thickness:	M	MH
------------------------------	---	----

作用: 男女恤鈕子筒
有朴
用機: 單針平車
Purpose: Button plait with
interlining.
Machine: 1 Needle Lockstitch
Machine

**DA YU 220 F210 暗筒折邊器
Cover Placket Hemmer**





規格
7/8"
1"
1-1/8"
1-3/16"
1-1/4"
1-3/8"
1-1/2"

標準厚度: Standard Thickness:	M	MH
------------------------------	---	----

作用: 女衫前胸暗筒
用機: 單針平車
Purpose: Lady blouse cover
placket.
Machine: 1 Needle Lockstitch
Machine

**DA YU 221 拉腳筒
Swing Hemmer**




規格
3/16"
1/4"

DA YU 222 (A400)

拉圓腳筒
Short Tail Swing Hemmer



標準厚度:
Standard Thickness: M MH



規格
1/16"
1/8"
3/16"
1/4"
5/16"
3/8"
1/2"
1/2"

作用: 縫恤衫圓腳或一般摺邊用
用機: 單針平車


Purpose: Shirt round bottom and general
Machine: 1 Needle Lochstitch Machine

DA YU 223 (A75D)

反下散口拉腳筒
Single Upturn Feeler



標準厚度:
Standard Thickness: M MH



規格
3/16"
1/4"
5/16"
3/8"
1/2"
5/8"
3/4"
7/8"
1"

作用: 一般下摺布邊
用機: 單針平車


Purpose: Single down turn folding of general purpose e.g.
Machine: 1 Needle Lochstitch Machine

DA YU 225

上下可調拉腳筒
Swing Hemmer



標準厚度:
Standard Thickness: M MH H



規格
1/4"
1/2"
3/8"
7/16"
1/2"
9/16"
5/8"
11/16"
3/4"
13/16"
7/8"
1"
1-1/8"
1-3/16"
1-1/4"
1-3/8"
1-1/2"
1-5/8"
1-3/4"
1-7/8"
2"

作用: 一般直折邊用
用機: 單針平車


Purpose: General straight hemming
Machine: 1 Needle Lochstitch Machine

DA YU 226

散口拉腳筒
Single Up Turn Folder



標準厚度:
Standard Thickness: M MH H




規格
3/16"
1/4"
5/16"
3/8"
1/2"
5/8"
3/4"
7/8"
1"

作用: 一般上折布邊, 如領下摺
用機: 單針平車

Purpose: Single up turn folding of general purpose e.g. collar band bottom.
Machine: 1 Needle Lockstitch Machine

DA YU 227

包芯手挽筒
Strap Folder with Cord



作用: 包芯手挽
用機: 同步車
Purpose: Strap Folder
Machine: Unison Feed
Machine




標準厚度:
Standard Thickness: L MH

尺寸 Size (inch)	5/8	3/4	7/8
	1 3/4	2	2 1/4

DA YU 301 A32

雙針上袖筒
Double Needle Lap Seam Folder




針距尺寸

3/16" M
3/16" MH
3/16" H
1/4" M
1/4" MH
1/4" H

作用: 縫薄布或恤衫
后幅
用機: 雙針車
Purpose: Back seam of shirt
or light weight
fabric.
Machine: 2 Needle Machine

DA YU 302 F333

雙針上袖筒
Double Needle Lap Seam Folder



針距尺寸

3/16" M
3/16" H
3/16" XH
1/4" M
1/4" H
1/4" XH
5/16" M
5/16" H
5/16" XH
3/8" M
3/8" H
3/8" XH

作用: 縫薄布或恤衫
后幅
用機: 雙針車
Purpose: Back seam of shirt
or light weight
fabric.
Machine: 2 Needle Machine

DA YU 303 A30/121586(F335)


日字埋夾
Side Seam Folder-Japan Style



F335



DY303



作用: 埋夾
用機: 日本制 2,3 針
埋夾車
Purpose: Sew side seam of
thick material.
Machine: Japan Made 2,3
Needle Feed of the
Arm Machine


針距尺寸

1/8"
3/16"
1/4"
5/16"
3/8"
1/2"

標準厚度:
Standard Thickness: M MH H XH

DA YU 304 35800(F337)

彈弓咀迂仁埋夾
Sprig Type Side Seam Folder-Union Special Type





作用：埋夾
用機：迂仁2、3針埋
夾車

Purpose: Sew side seam.
Machine: 2,3 Needle Union
Special Feed of the
Arm Machine

針距尺寸
3/16"MH
3/16"H
3/16"XH
1/4"MH
1/4"H
1/4"XH

DA YU 305 F334

彈弓咀上袖筒
Spring Type Lap Seam Folder




作用：牛仔衫褲后幅
用機：雙針車

Purpose: Back seam of jeans
and jacket.
Machine: 2 Needle Machine

針距尺寸
3/16"H
3/16"XH
1/4"H
1/4"XH

DA YU 306

雙針埋夾
Side Seam Folder



DA YU 309

雙針埋夾
Side Seam Folder



作用：縫薄布或恤衫
后幅
用機：雙針車

Purpose: Back seam of shirt
or light weight
fabric.
Machine: 2 Needle Machine

針距尺寸
3/16"MH
3/16"MH
3/16"H
1/4"MH
1/4"MH
1/4"H
5/16"MH
5/16"MH
5/16"H
3/8"MH
3/8"MH
3/8"H


DA YU 307 F338

縫靴褲腳筒
Jeans Bottom Hemming Folder



標準厚度:	H	XH
Standard Thickness:	H	XH

褲腳
Trousers bottom




作用：車牛仔褲脚用
用機：迂仁靴脚車
Purpose: Circular hemming
of jeans bottom.
Machine: Union Special
Bottom Hemming
Machine

尺寸可調
1/2"-1"

DA YU 308 F221

折袖拉筒
Openable Top Swing Hemmer



作用：圓柄式袖或
折脚用


用機：單針平車 Purpose: Circular hemming
of shirt sleeve or
bottom.
Machine: 1 Needle Lockstitch
Machine

標準厚度：
Standard Thickness: M MH

規格
1/2"
5/8"
3/4"
7/8"
1"
1-1/8"
1-1/4"
1-3/8"
1-1/2"

DA YU 401 F514

多條面貼器
Multi Tape Attach Folder



作用：機袖裝式面貼用
用機：多針車


Purpose: Decorative tape
on jacket
Machine: Multi Needle Machine

標準厚度：
Standard Thickness: MH H

出口
5/16"
3/8"
7/16"
1/2"
9/16"
5/8"
3/4"
7/8"
1"

DA YU 402 F511

袖圍貼邊器
Sleeve Facing Folder



作用：雙針女袖袖底貼
用機：雙針車


Purpose: Lady sleeve bottom
plait.
Machine: 2 Needle Machine

標準厚度：
Standard Thickness: M MH

針距尺寸
1/4"
3/8"

DA YU 403 AT112(F524)

雙針面貼器
Double Needle Tape Attaching Foot




作用：車雙針面貼
用機：雙針車

Purpose: Attach tape on top
of fabric surface
e.g. jogging suit.
Machine: 2 Needle Machine

標準厚度：
Standard Thickness: M MH H

針距尺寸
1/8"
3/16"
1/4"
5/16"
3/8"
1/2"
5/8"
3/4"
7/8"
1"

DA YU 404 F340 耳仔筒 Belt Loop Folder





入口	出口
5/8"	1/4"
3/4"	5/16"
7/8"	3/8"
1"	7/16"
1-1/8"	1/2"
1-3/8"	5/8"
1-5/8"	3/4"
1-7/8"	7/8"
2-1/8"	1"

作用：車耳仔
用機：雙針耳仔車

Purpose: Belt loop.
Machine: 2 Needle Belt Loop Machine

标准厚度:	M	MH	H
Standard Thickness:	M	MH	H

DA YU 405 F339 耳仔筒 Belt Loop Folder





入口	出口
1/2"	1/4"
5/8"	5/16"
3/4"	3/8"
7/8"	7/16"
1"	1/2"
1-1/4"	5/8"
1-1/2"	3/4"
1-3/4"	7/8"
2"	1"
2-1/4"	1-1/8"
2-1/2"	1-1/4"

作用：車耳仔
用機：雙針耳仔車

Purpose: Belt loop.
Machine: 2 Needle Belt Loop Machine

标准厚度:	M	MH	H
Standard Thickness:	M	MH	H

DA YU 406 F342 切刀機耳仔筒 Belt Loop Folder for Belt Loop Machine with Cutter




出口
8mm
9mm
10mm
11mm
12mm
13mm
14mm
15mm
16mm
17mm
18mm
20mm

作用：開西耳仔筒
用機：雙針耳仔車連前切刀

Purpose: Belt loop.
Machine: 2 Needle Belt Loop Machine with Front Cutter

标准厚度:	M	MH	H
Standard Thickness:	M	MH	H

DA YU 407 天工耳仔筒 Belt Loop Folder



出口
10mm
12mm
13mm
14mm
15mm
16mm
18mm
20mm

作用：天工耳仔筒
用機：雙針耳仔車連前切刀

Purpose: Belt loop.
Machine: 2 Needle Belt Loop Machine with Front Cutter


标准厚度:	M	MH
Standard Thickness:	M	MH

DA YU 408 悬挂式雙針貼帶器
Suspended Tape Folder for Double Needle Machine



标准厚度:
Standard Thickness:

M	MH	H
---	----	---



作用: 車雙針面貼
用機: 雙針車

Purpose: Attach tape on top of fabric surface
e.g. jogging suit.
Machine: 2 Needle Machine


入口	出口
1"	1/2"
1-1/4"	5/8"
1-1/2"	3/4"
1-3/4"	7/8"
2"	1"
2-1/8"	1-1/8"
2-1/4"	1-1/4"
2-3/8"	1-3/8"
2-1/2"	1-1/2"

DA YU 409 雙針拉帶器
Belt Loop Folder for Double Needle



标准厚度:
Standard Thickness:

M	MH	H
---	----	---



用機: 雙針車
Machine: 2 Needle Machine

入口	出口
1"	1/2"
1-1/4"	5/8"
1-1/2"	3/4"
1-3/4"	7/8"
2"	1"

DA YU 410 雙針反耳仔筒
Reverse - Belt Loop Folder

胶水筒 410 B



410-A



410-C

标准厚度:
Standard Thickness:

M	MH	H
---	----	---



作用: 車反耳仔筒
用機: 雙針車

Purpose: Belt loop.
Machine: 2 Needle Machine

入口	出口
3/4"	3/8"
1"	1/2"
1-1/4"	5/8"
1-1/2"	3/4"
1-3/4"	7/8"
2"	1"

DA YU 411 开骨帽筒
Tap Atta Ching Folder (Open Seam)

入口	出口
1"	1/2"
1-1/8"	9/16"



标准厚度:
Standard Thickness:

M	MH
---	----


作用: 車帽筒骨
用機: 2, 4 針車用
Purpose: Hat Folder
Machine: 2, 4 Needle Machine



DA YU 412

雙針手挽帶拉帶器
Double Needle Belt Folder

胶水筒



入口	出口
3/8"	3/16"
1/2"	1/4"
5/8"	5/16"
3/4"	3/8"
1"	1/2"
1-1/4"	5/8"
1-1/2"	3/4"
1-3/4"	7/8"
2"	1"
2-1/4"	1-1/8"
2-1/2"	1-1/4"
3"	1-1/2"


标准厚度:
Standard Thickness: MH H XH

作用: 車帶
用機: 雙針平車

Purpose: Belt Sewing
Machine: 2 Needle Machine

DA YU 413


左右兩用拉鏈助縫器
Both Side Downturn Zipper Attachment



Adjustable
可調教

DA YU 414 A41

雙針細修貼邊器
Lining Tape Attaching Folder



針距尺寸
1/8"
3/16"
1/4"
5/16"
3/8"
1/2"



标准厚度:
Standard Thickness: M MH H

作用: 胸圍及內褲
用機: 雙針車

Purpose: Eor Brassieres and
Machine: 2-Needle Machine

DA YU 415

胸罩襯裏貼邊器
Lining Tape Attaching Folder for Cup Sewing (Swing Type)



針距尺寸
1/8"
3/16"
1/4"
5/16"
3/8"
1/2"



标准厚度:
Standard Thickness: M MH

用機: 雙針車

Machine: 2 Needle Machine

DA YU 416 F217

單針接袖器(雙針車用)
Single Needle Sleeve Attaching - Double Needle Operation



标准厚度:	M	MH
Standard Thickness:	M	MH



作用: 單針袖
用機: 先用雙針頭縫
底車, 后用單
針車

Purpose: Single needle
sleeve.
Machine: 1st - Double Needle
Chain Stitch
Machine, 2nd - 1
Needle Lockstitch
Machine

規格
3/16"
1/4"
5/16"
3/8"

DA YU 417

雙針接袖器
Double Needle Sleeve Attachment




标准厚度:	M	MH	H
Standard Thickness:	M	MH	H

用機: 雙針車
Machine: 2 Needle Machine


針距尺寸
1/8"
3/16"
1/4"
5/16"
3/8"
1/2"

DA YU 418 F313

底貼褲頭筒
Bottom Waist Band Folder



作用: 縫折褲頭
用機: 2或4針褲頭車





标准厚度:	H	XH
Standard Thickness:	H	XH

Purpose: Attach waist band,
Machine: 2 or 4 Needle Waist
Band Machine

入口	出口
1-3/4"	1"
1-7/8"	1-1/8"
2-1/4"	1-1/4"
2-3/8"	1-3/8"
2-1/2"	1-1/2"
2-5/8"	1-5/8"
2-3/4"	1-3/4"
2-7/8"	1-7/8"
3"	2"

DA YU 419 F314

底橡筋褲頭筒
Bottom Elastic Waist Band Folder



标准厚度:	M	MH
Standard Thickness:	M	MH


作用: 車橡筋褲頭
用機: 2, 3, 4針橡筋車

Purpose: Sew waist band
with elastic
Machine: 2, 3, 4 Needle
Elastic Machine

尺寸可調
1-1-3/4"

DA YU 420 F213 單針揀杆筒
Single Needle Shirt Yoke Attachment

規格
3/8"




作用：單針明綫縫揀杆及后幅
用機：單針平車
Purpose: Single needle top stitch attach of yoke to back shirt.
Machine: Single Needle Lockstitch Machine

標準厚度：
Standard Thickness: M MH



DA YU 421 F214 雙針揀杆筒
Double Needle Shirt Yoke Attachment

規格
3/8"




作用：雙針明綫縫揀杆及后幅
用機：雙針車

Purpose: Double needle top stitch attach of yoke to back shirt.
Machine: Double Needle Machine

標準厚度：
Standard Thickness: M MH

DA YU 422 F211 單針納膊筒
Single Needle Shoulder Top Stitch Attachment

規格
3/8"



作用：單針明綫縫揀杆及前幅
用機：單針平車


Purpose: Single needle top stitch attach of yoke to shirt front.
Machine: 1 Needle Lockstitch Machine

標準厚度：
Standard Thickness: M MH



DA YU 423 F212 雙針納膊筒
Double Needle Shoulder Top Stitch Attachment

規格
3/8"




作用：雙針明綫縫揀杆及前幅
用機：雙針平車

Purpose: Double needle top stitch attach of yoke to shirt front.
Machine: 2 Needle Machine

標準厚度：
Standard Thickness: MH H

DA YU 424 F215

单针捆条绳子撑杆筒
Single Needle Shirt Yoke Attachment with Piping



标准厚度:
Standard Thickness: M MH




规格	
3/8"	
捆条	
入口	出口
3/4"	3/8"

作用: 单针明线缝撑杆及后幅连捆条
用机: 单针平车
Purpose: Single needle top stitch attach of yoke to back shirt with piping.
Machine: Single Needle Lockstitch Machine

DA YU 425 F216

双针捆条绳子撑杆筒
Double Needle Shirt Yoke Attachment with Piping



标准厚度:
Standard Thickness: M MH





规格	
3/8"	
捆条	
入口	出口
3/4"	3/8"

作用: 双针明线缝撑杆及后幅连线条
用机: 双针车
Purpose: Double needle top stitch attach of yoke to back shirt with piping.
Machine: Double Needle Machine

DA YU 426 F520

钹骨捆条拉筒
Single Needle Shirt Yoke Attachment with Piping



标准厚度:
Standard Thickness: M MH H



作用: 车捆条连绳子, 用于裤骨, 针织T恤等
用机: 5线级骨车

Purpose: Attach piping with sting e.g. trousers side seam and T shirt etc.
Machine: 5 Thread Overlock Machine

入口	出口
3/4"	3/8"
7/8"	7/16"
1"	1/2"
1-1/8"	9/16"
1-1/4"	5/8"
1-3/8"	11/16"
1-1/2"	3/4"

DA YU 427 F522

钹骨绳子筒
Piping Folder



标准厚度:
Standard Thickness: M MH H



作用: 车捆条连绳子, 用于裤骨, 针织T恤等
用机: 5线级骨车

Purpose: Attach piping with sting e.g. trousers side seam and T shirt etc.
Machine: 5 Thread Overlock Machine

入口	出口
3/4"	3/8"
7/8"	7/16"
1"	1/2"
1-1/8"	9/16"
1-1/4"	5/8"

DA YU 428 F407

領貼拉筒
Collar Tape Folder



標準厚度:
Standard Thickness:

M	MH	H
---	----	---


褶線 Piping
繩 Sting

入口	出口
1-1/4"	5/8"
1-1/2"	3/4"
1-3/4"	7/8"
2"	1"
2-1/4"	1-1/8"
2-1/2"	1-1/4"
2-3/4"	1-3/8"

作用: 縫T恤領、袖、脚
用機: 3、4 線釵骨車
Purpose: Attach T shirt collar, sleeve, bottom.
Machine: 3 or 4 Thread Overlock Machine

DA YU 429 F408

領貼拉筒
Collar Tape Folder



標準厚度:
Standard Thickness:

MH	H
----	---


作用: 縫T恤領、
用機: 2或3針拉面車

Purpose: Attach T shirt collar.
Machine: 2 or 3 Needle Cover Stitch Machine

入口	出口
1-3/8"	11/16"
1-5/8"	13/16"
1-7/8"	15/16"
2-1/8"	1-1/16"
2-3/8"	1-3/16"
2-5/8"	1-5/16"
2-7/8"	1-7/16"

DA YU 430 F405

領貼拉筒
Collar Tape Attachment



標準厚度:
Standard Thickness:

MH	H
----	---



作用: 原身布車T恤領貼
用機: 3、4 線釵骨車

Purpose: Sew polo shirt collar tape by original fabrics
Machine: 3,4 Thread Overlock Machine

入口	出口
1"	1/2"
1/4"	5/8"
1-1/2"	3/4"

DA YU 431 F406

領貼拉筒
Collar Tape Attachment



標準厚度:
Standard Thickness:

MH	H
----	---

作用: 用織帶車T恤領貼
用機: 3、4 線釵骨車

Purpose: Sew polo shirt collar by tape.
Machine: 3,4 Thread Overlock Machine

規格



1/2"
5/8"
3/4"

DA YU 432A

繩子筒 (固定式)
Piping Folder

DA YU 432 B

繩子筒
Piping Folder



作用：串綑條連繩仔，用于睡衣、枕頭袋等
用機：單針平車

Purpose: Attach piping with sting e.g. pajama and pillow case.
Machine: 1 Needle Lockstitch Machine



標準厚度：
Standard Thickness:

M	MH	H
---	----	---

入口	出口
3/8"	3/16"
1/2"	1/4"
5/8"	5/16"
3/4"	3/8"
7/8"	7/16"
1"	1/2"
1-1/8"	9/16"
1-3/16"	19/32"
1-1/4"	5/8"
1-3/8"	11/16"
1-1/2"	3/4"
1-5/8"	13/16"
1-3/4"	7/8"

DA YU 433 F521

活動繩子筒
Piping Folder



標準厚度：
Standard Thickness:

M	MH	H
---	----	---



作用：串綑條連繩仔，用于睡衣、枕頭袋等
用機：單針平車

Purpose: Attach piping with sting e.g. pajama and pillow case.
Machine: 1 Needle Lockstitch Machine

入口	出口
3/8"	3/16"
1/2"	1/4"
5/8"	5/16"
3/4"	3/8"
7/8"	7/16"
1"	1/2"
1-1/8"	9/16"
1-3/16"	19/32"
1-1/4"	5/8"
1-3/8"	11/16"
1-1/2"	3/4"
1-5/8"	13/16"
1-3/4"	7/8"
1-7/8"	1-15/16"
2"	1"

DA YU 434 F519

細條拉筒
Piping Folder



作用：串綑條連繩仔，用于睡衣、枕頭袋等
用機：單針平車

Purpose: Attach piping with sting e.g. pyjamas and pillow case.
Machine: 1 Needle Lockstitch Machine



標準厚度：
Standard Thickness:

M	MH	H
---	----	---

入口	出口
3/4"	3/8"
7/8"	7/16"
1"	1/2"
1-1/8"	9/16"
1-1/4"	5/8"
1-3/8"	11/16"
1-1/2"	3/4"

DA YU 435

飛馬級骨車繩子筒
Piping Folder (PEGASUS)



作用：串綑條連繩仔，用于褲管、針織T恤等
用機：飛馬級骨車


Purpose: Attach piping with sting e.g. trousers side seam and T shirt etc.
Machine: * PEGASUS *Overlock Machine

標準厚度：
Standard Thickness:


M	MH	H
---	----	---

入口	出口
5/8"	5/16"
3/4"	3/8"
7/8"	7/16"
1"	1/2"

DA YU 436 F201 門襟筒
Top Center Plait Folder



标准厚度:
Standard Thickness: M MH




作用: 男女衫前胸明
筒-有衬
用机: 2或4针筒车

Purpose: Top center plait of
shirt and blouse -
with lining
Machine: 2 or 4 Needle
Machine/Pocket

入口	出口
1-1/2"	3/4"
1-3/4"	7/8"
2"	1"
2-1/8"	1-1/8"
2-7/32"	1-7/32"
2-1/4"	1-1/4"
2-3/8"	1-5/16"
2-7/16"	1-7/16"
2-3/8"	1-3/8"
2-1/2"	1-1/2"
2-9/16"	1-9/16"
2-5/8"	1-5/8"
2-3/4"	1-3/4"
2-7/8"	1-7/8"
3"	2"

DA YU 437 F307 上下布裤头筒
Two Pieces Waist Band Folder




标准厚度:
Standard Thickness: M MH

作用: 缝合裤头
用机: 2或4针裤头车

Purpose: Attach waist band.
Machine: 2 or 4 Needle Waist
Band Machine

入口	出口
2"	1"
2-1/8"	1-1/8"
2-1/4"	1-1/4"
2-3/8"	1-3/8"
2-1/2"	1-1/2"
2-5/8"	1-5/8"
2-3/4"	1-3/4"
2-7/8"	1-7/8"
3"	2"

DA YU 438 F308 上下布弯裤头筒
Two Pieces Curve Waist Band Folder




标准厚度:
Standard Thickness: H XH

作用: 缝合弯裤头
用机: 2或4针裤头车

Purpose: Attach curve waist band.
Machine: 2 or 4 Needle Waist
Band Machine

入口	出口
2"	1"
2-1/8"	1-1/8"
2-1/4"	1-1/4"
2-3/8"	1-3/8"
2-1/2"	1-1/2"
2-5/8"	1-5/8"
2-3/4"	1-3/4"
2-7/8"	1-7/8"
3"	2"

DA YU 439 F525 双针面贴连绳
Tape Attach Folder Foot With Sting



标准厚度:
Standard Thickness: MH M


作用: 机做袋式面一贴绳贴用
用机: 双针车

Purpose: Decorative tape on
jacket with sting.
Machine: 2 Needle Machine

针距尺寸
3/8"
1/2"
5/8"
3/4"
7/8"

DA YU 440 F526

底貼凸繩面貼
Bottom Embed Sting Folder



作用：機袖裝飾用凸底繩
用機：雙針車



Purpose: Decorative bottom embed sting.
Machine: 2 Needle Machine

標準厚度：
Standard Thickness: M MH H

入口
1/2"

DA YU 441 F512

花邊袖圍貼邊器
Lace Sleeve Facing Folder



作用：雙針女袖袖底
貼邊花邊
用機：雙針車


Purpose: Lady sleeve bottom plait with lace.
Machine: 2 Needle Machine

標準厚度：
Standard Thickness: M MH

入口	出口
7/8"	3/8"
1"	1/2"
1-1/2"	3/4"
1-3/4"	1"

DA YU 442 F510

工字折邊器
Box Pleat Folder



作用：車工字折
用機：雙針車



Purpose: Sew box pleat.
Machine: 2 Needle Machine

標準厚度：
Standard Thickness: M MH

規格
1/2"
5/8"
3/4"
7/8"
1"
1-1/8"

DA YU 443

繡縫車細條面貼器
Tape Attach Folder for Covering Stitch




入口	出口
14mm	5.6mm
15mm	6.4mm
17mm	7.2mm
19mm	8.0mm
21mm	8.8mm

DA YU 444


胸圍鋼線包縫筒
Bra Underwire Support Attachment

入口	出口
1"	3/8"
1-1/8"	3/8"



DA YU 445


胸罩用包硬片面貼器
Brassiere Strip Support Attachment



針距 Needle Space: 1/4"

DA YU 446


胸罩鋼線包縫器
Bra Underwire Support Attachment



外層入口 Outer Tape Size: 22mm
內層入口 Inner Tape Size: 20mm
出口 Finished Size: 8mm
針距 Needle Space: 1/4"

DA YU 447


可調式花邊貼邊器
Adjustable Lace Attaching Folder



DA YU 448


胸圍鋼圈導帶器
Strip Guide with Cover Plate

帶子尺寸
9mm
10mm
12mm




DA YU 449 (A225E)

單針平車貼帶器



DA YU 450


底貼褲腰筒



DA YU 451


懸掛式細條拉筒

入口
20mm
25mm
30mm



DA YU 452



銀箭繩子筒



入口	出口
5/8"	5/16"
3/4"	3/8"
7/8"	7/16"
1"	1/2"

DA YU 453

耳仔筒
Belt Loop Folder




入口	出口
20mm	10mm
25mm	12.5mm
30mm	15mm
35mm	17.5mm

作用：串耳仔
用機：雙針耳仔車
Purpose: Belt loop.
Machine: 2 Needle Belt Loop Machine

DA YU 454

繩子筒
Piping Folder



入口
1/2"
5/8"
3/4"
7/8"
1"
1-1/8"


作用：串綑條連繩仔，
用于睡衣、枕
頭袋等
Machine：單針平車
Purpose: Attach piping with
sting e.g. pajama
and pillow case.
Machine: 1 Needle Lockstitch
Machine

DA YU 455

銀骨細條拉筒
Single Needle Shirt Yoke Attachment with Piping



入口	出口
3/4"	3/8"
7/8"	7/16"
1"	1/2"
1-1/8"	9/16"




作用：串綑條，用于綑骨針織T恤等
用機：4或5線拉筒車
Purpose: Attach piping with sting e.g.
pajama and pillow case.
Machine: 4or 5 Needle Lockstitch
Machine

455 B 銀骨繩子條拉筒



作用：串綑條連繩仔，用于褲管、針織
T恤等
用機：飛馬拉筒車
Purpose: Attach piping with sting e.g. trousers
side seam and T shirt etc.
Machine: "PEGASUS" Overlock Machine




DA YU 456

多條面貼器
Multi Tape Attach Folder



標準厚度:
Standard Thickness: MH



作用: 機袖袋式面貼用
用機: 多針車

Purpose: Decorative tape
on jacket
Machine: Multi Needle Machine

出口
5/16"
3/8"
7/16"
1/2"
9/16"
5/8"
3/4"
7/8"
1"

DA YU 457

雷吊筒
Tape Attach Folder

DY457 B




標準厚度:
Standard Thickness: M MH H



出口
5/16"
3/8"
1/2"
5/8"
3/4"
7/8"
1"

DA YU 458

雙針面貼器
Double Needle Tape Attaching Foot




MH380

A

B

C



作用: 車雙針面貼
用機: MH-380埋夾機

標準厚度:
Standard Thickness: M MH H


針距尺寸
1/8"
3/16"
1/4"
5/16"
3/8"
1/2"

DA YU 459

B927 雙針面貼器
Double Needle Tape Attaching Foot



標準厚度:
Standard Thickness: M MH H





作用: 車雙針面貼
用機: B927埋夾機

Purpose: Attach tape on top
of fabric surface
e.g. jogging suit.
Machine: 2 Needle Machine

入口	出口
20mm	8mm
22mm	9mm

DA YU 460

切刀機耳仔筒 (搭口)
Belt Loop Folder for Belt Loop Machine with Cutter




作用：開西耳仔筒
用機：雙針耳仔車連前切刀
Purpose: Belt loop.
Machine: 2 Needle Belt Loop Machine with Front Cutter

標準厚度：
Standard Thickness: M MH H


出口
8mm
9mm
10mm
11mm
12mm
13mm
14mm
15mm
16mm
17mm
18mm
20mm

DA YU 461/462

雙針貼條筒



DA YU 461 (對口)



DA YU 462 (搭口)

標準厚度：
Standard Thickness: M MH

出口
1/4"
5/16"
3/8"
7/16"
1/2"

DA YU 463/464


三折疊條筒




DA YU 463 (左疊)



DA YU 464 (右疊)



DA YU 463 (左疊)




DA YU 464 (右疊)

標準厚度：
Standard Thickness: M MH

出口
5/16"
3/8"

DA YU 465

雙針貼帶器



作用：車雙針面貼
用機：雙針車


標準厚度：
Standard Thickness: M MH H

Purpose: Attach tape on top of fabric surface e.g. jogging suit.
Machine: 2 Needle Machine

針距尺寸
1/8"
3/16"
1/4"
5/16"
3/8"
1/2"
5/8"
3/4"
7/8"
1"

DAYU 501


枕套包边加开线筒



用机:2到4针

DAYU 502


双针车毛毯包边筒



用机:2到4针
作用:用于薄料毛毯的包边

DAYU 503


平车卷边加橡筒



用机:单针车
作用:用于床上用品

DAYU 504


对折口罩包边筒



用机:单针车

DA YU 505


平车耳仔筒



用机:单针车

DA YU 506


双卷口罩包边筒



用机:单针车

DA YU 507


绷缝上毛平筒



用机:绷缝机
作用:上不包下包

DA YU 508


绷缝上毛插筒



用机:绷缝机
作用:上不包下包

DAYU 509

包边机拉筒/BINDER



Size	IN	24mm	26mm
尺寸	入口		


作用口袋边包缝
用机: 包缝机

DA YU 510

绳子筒/PIPING ATTACHMENT




作用: 连捆条连强仔, 用于睡衣, 枕头袋等
用机: 单针平车
Purpose: Attach piping with sting e.g pajama
and pillow case
Machine: 1-Needle Lockstitch Machine



Size	a	3/8"	7/16"	1/2"	5/8"
尺寸	IN/入口	3/4"	7/8"	1"	1-1/4"
(inch)	string嘴	1/16"~1/8"		3/16"	

DA YU 511

平车卷边加橡筒




DA YU 512

耳仔筒/BEIT LOOP FOLDER




作用: 耳仔筒
用机: 双针耳仔车
Purpose: Belt loop
Machine: 2 Needle belt



Size	a	3/8"	1/2"	5/8"	3/4"	7/8"	1"
尺寸	ΔD	7/8"	1-1/8"	1-3/8"	1-5/8"	1-3/4"	2"
(inch)	C			1/4"			

DA YU 513

平车拼缝筒





DAYU 514

针织下摆定规



DAYU 515


双针车毛毯包边筒



用于厚料毛毯的包边

DAYU 516


筒绷拼缝缝台



用于针织服装

DAYU 517

枕套包边加开线筒




双针

DAYU 518

毛巾筒/BINDER





作用:拉针线T恤领、袖等
用机:2或3针车
Purpose:Binding of knitwear
collar and sleeve
Machine:2 or 3 Needle Cover
stitch Machine



Size	30mm	40mm	50mm
尺寸			

DAYU 519

可调双针褶边筒




针距尺寸

1/8"
3/16"
1/4"
5/16"
3/8"
1/2"
5/8"
3/4"
7/8"
1"

作用:帽、针线
用机:2、4针车用
Purpose:Hat Folder
Machine:2, 4 Needle Machine

DAYU 520 F502

拉圆脚蝴蝶靴



作用:急速可褶边用
用机:单针平车
Purpose:Design for hemming
of quick-manipulating
edge
Machine:1 Needle Lockstitch
Machine


规格/型号	1	2	3
F502			
尺寸	1/8	3/16	3/4



DA YU 521




作用于多针车



DA YU 522

多针车 6条面贴




用机: 多针车
用途: 6条面贴带嵌线

DA YU 523

490355



用机: 军针平车用
Machine: 1 Needle Lockstitch
Machine



Finished Size	3/16	1/4
出口		

DA YU 524

490356



用机: 军针平车用
Machine: 1 Needle Lockstitch
Machine




Finished Size	3/16	1/4
出口		

DA YU 525

490357



用机: 单针平车用
Machine: 1Needle lockstt
Machine




Finished Size 出口	3/16	1/4
---------------------	------	-----

DA YU 526

490358



用机: 单针平车用
Machine: 1Needle lockstt
Machine




Finished Size 出口	1/16	1/8	3/16	1/4
---------------------	------	-----	------	-----

DA YU 527

490359



用机: 单针平车用
Machine: 1Needle lockstt
Machine




Finished Size 出口	1/16	1/8	3/16	1/4
---------------------	------	-----	------	-----

DA YU 528

490360



用机: 单针平车用
Machine: 1Needle lockstt
Machine




Finished Size 出口	1/16	1/8	3/16	1/4
---------------------	------	-----	------	-----

DA YU 529

H5020



用机: 单针平车用
Machine: 1 Needle Lockstitch
Machine



Finished Size 出口	3/16	1/4
---------------------	------	-----

DA YU 530

F201-R



作用: 男女恤胸明筒-有模
用机: 2或4针筒车


Purpose: Top center plait or shirt
and blouse-with lining
Machine: 2 or 4 Needle Placket
Machine



标准厚度: Standard Thickness:	T	MT
------------------------------	---	----



DA YU 531



作用: 缝褶裤头, 裙头(没有模)
用机: 2或4针筒车

标准厚度: Standard Thickness:	T	MT
------------------------------	---	----

Purpose: Binding of waist band
(Without lining)
Machine: 2 or 4 Needle Waist
Band Machine



DA YU 532

F202



作用: 睡衣及恤衫前胸明筒-有模


用机: 2 或 4 针筒车
Purpose: Blouse or pyjamas
placket-with lining.
Machine: 2 or 4 Needle Placket
Machine

标准厚度: Standard Thickness:	T	MT
------------------------------	---	----




DAYU 533

恤衫明筒




DAYU 534

包边筒/BINDER




DAYU 535

裤头筒



DAYU 536

三层筒



DAYU 537

包缝机折边筒




适用于包缝车

出口尺寸 FINISHED SIZE

SIZE	10mm	12mm	15mm	18mm
SIZE	20mm	22mm	25mm	





DAYU 538

银箭包缝机拉筒
BPGE BINDER FOR SIRUBA OVERLOCK MACHINE标准厚度:
Standard Thickness: M作用: 细布边
用机: 粗号包缝车

入口
6mm
8mm
10mm
12mm
14mm
16mm



DAYU 539

平车直角拉筒加捆条 / BIGHT ANGLE BIAS BINDER WITH PIPING

作用: 折布边加捆条
用机: 单针平车用Purpose: General hemming with piping
Machine: 1 Needle Machine

尺寸	20mm	22mm	24mm	25mm	28mm	30mm	32mm	34mm	36mm	38mm	40mm
----	------	------	------	------	------	------	------	------	------	------	------

DAYU 540

银箭包缝机拉筒
EPGE BINDER FOR SIRUBA OVERLOCK MACHINE作用: 口袋边包缝
用机: 银箭757E
Purpose: Pocket Binding
Machine: Siruba 757E

Size	IN	24mm	26mm
尺寸	入口		



DA YU 541

暗线耳仔筒三线拷克车用
spaghetti Attachment



作用:车捆线耳仔筒
用机:银箭,飞马2机3线拷克车用
Purpose:Make spaghetti like tube
Machine:1 Needle LCOStitch Machine

本工序
This Procedure




下一工序
Next Procedure

DA YU 542

包边筒/BINDER




用机:2或3针车
Machine:2 or 3 Needle Cover
Stitch Machine



DY F543

F329

西裤裤头蝴蝶
Casual Trousers Waist Band Folder




DA YU 544

绳子筒/PIPING FOLDER



作用:车捆条连绳仔
用机:银箭车
Purpose:Attach piping
Machine:Stitch machine



Size 尺寸	a	3/8"	7/16"	1/2"	5/8"
IN/英寸	3/4"	7/8"	1"	1-1/4"	
string 绳	1/16"-1/8"		3/16"		



DA YU 545 F513

多跳面贴蝴蝶



作用: 机械装式面贴用
用机: 多针车
Purpose: Decorative tape on jacket
Machine: Multi Needle Machine

标准厚度:
Standard Thickness: MT



F513		1	2	3
尺寸 Size (mm)	a	14	9/16	38
	b	18	3/16	14
数量 Tape Quantity		3		
规格 Needle Gauge		G853 1/8x20 3/16x12 1/4x10		

DA YU 546

335B 型车包边筒 (接口)
Binder for Large-sized Cylinder Bed Machine

DA YU 547

335B 型车包边筒 (接口)
Binder for Large-sized Cylinder Bed Machine



作用: 车搭条连绳仔, 用于睡衣, 枕头袋等。
用机: 单针平车
Purpose: Attach piping with string e.g pajama and pillow case
Machine: 1-Needle Lockstitch Machine


DA YU 548

双针拉带筒

入口
5/8"
3/4"
7/8"
1"



标准厚度:
Standard Thickness: H XH



入口	出口
3/4"	3/16"
1"	1/4"
1-1/4"	5/16"
1-1/2"	3/8"

作用: 车耳仔、带
用机: 双针平车
Purpose: Loop, belt sewing
Machine: 1 Needle Lockstitch Machine

DA YU 549

做帽檐




入口	出口
1"	1/4"
1-1/4"	5/16"
1-1/4"	3/8"




标准厚度:
Standard Thickness: H XH




DY F550 F236 日字埋夹落朴蝴蝶
Side Seam Folder with Interlining—Japan style



DY F551 直位袋口蝴蝶
Straight Pocket Hemmer




DY F552 时装筒
Bottom Elastic Waist Band Folder



DY F553 时装筒
Bottom Elastic Waist Band Folder




A



作用：牵耳仔
用機：雙針耳仔車
Purpose: Belt loop.
Machine: 2 Needle Belt Loop
Machine


DY F554 时装筒
Bottom Elastic Waist Band Folder



B


DY F555

时装筒
Bottom Elastic Waist Band Folder



DY F556

时装筒
Bottom Elastic Waist Band Folder



作用：一般直折通用
用机：双针车用

Purpose: General straight hemming
Machine: 1 Needle Lochstitch
Machine


DY F557

时装筒
Bottom Elastic Waist Band Folder



DY F558

时装筒
Bottom Elastic Waist Band Folder



DY F559

弧形包烫
Bottom Elastic Waist Band Folder



弧形包烫效果

DY F560

拉链双坎条、双绳拉筒
Bottom Elastic Waist Band Folder



DY 561

时装筒
Bottom Elastic Waist Band Folder



DY 562


双针嵌线筒
Double needle inserting tube



DY 563

F244


间下级蝴蝶
Collar Band Top Stitch Guide



DY 564

F245-C

间袖蝴蝶-弯形
Arm Hole Top Stitch Guide-Curved




作用：间袖，弯位避免起皱
Purpose: Armhole Top stitching for shirt, could avoid wrinkles occurred on the curve position
用机：单针平机
Machine: 1 Needle Lock stitch Machine



DY 565

F245

间袖蝴蝶
Arm Hole Top Stitch Guide



作用：间袖
Purpose: Armhole Top stitching for shirt
用机：单针平机
Machine: 1 Needle Lock stitch Machine




DY 566 F250

车领面脚拉筒
Sewing Collar Top Folder




作用：车上领面脚拉筒，弯位避免起皱
Purpose: Sewing Collar Top, could avoid wrinkles occurred on the curve position
用机：单针平车
Machine: 1 Needle Lockstitch Machine



DY 567 F266

衣服门襟暗钮扣筒
Cover Placket Hemmer



作用：衣服门襟暗钮扣筒，弯位避免起皱
Purpose: Blouse cover placket, could avoid wrinkles occurred on the curve position
用机：单针平车
Machine: 1 Needle Lockstitch Machine



DY 568



针织裤头松紧带车缝

(简易膝动式)

KNIT ELASTIC WAIST BAND ATTACHING
(MANUAL TYPE)


SHING LING




Kingtex 精机



Iyamato 大和



XINGRUI 星锐



PEGASUS 飞马

